

Terminal blocks


**Combining the advantages of proven connection technologies
with Klippon® Connect PUSH IN terminal blocks**



Weidmüller 


Product overview ALxC 2.5 terminal blocks

The new Klippon® Connect terminal blocks with lateral PUSH IN connection combine the advantages of PUSH IN and screw connection technology. Conductors can be connected without a bending radius and without tools. This reduces the installation height and increases clarity, as markings and functional areas remain clearly visible even when wired.



ALxC 2.5 – Feed-through terminal blocks

Type	Color	Qty.	Order no.
AL2C 2.5	● dark beige	50	2847200000
AL3C 2.5	● dark beige	50	2847330000
AL4C 2.5	● dark beige	50	2847460000
IEC		UL/CSA	
Max. clamping range	0.14...4 mm ²	26...12 AWG	
Rated voltage	800 V	600 V	
Rated current	24 A	20 A (B,C) / 5 A (D)	



ALxC 2.5 PE – Protective earth terminal blocks

Type	Color	Qty.	Order no.
AL2C 2.5 PE	● green/yellow	50	2847590000
AL3C 2.5 PE	● green/yellow	50	2847600000
AL4C 2.5 PE	● green/yellow	50	2847610000
IEC		UL/CSA	
Max. clamping range	0.14...4 mm ²	26...12 AWG	
Rated voltage	800 V	600 V	



Check our Online Catalog for other color options: www.weidmuller.com/ALxC


Klippon® Connect A-Series with side PUSH IN connection technology



The integrated test tap for standard test probes facilitates maintenance processes and troubleshooting. The lateral conductor entry increases clarity and makes the terminal blocks accessible for test systems even when wired.




Where installation depth is low, the lateral conductor entry has decisive advantages, because the conductors can be connected without space-consuming bending. Wiring can be carried out very clearly and in a very confined space.




As an integral part of the A-Series, the extensive range of accessories can also be used with the new modular terminal blocks. This facilitates the duplication of potentials via cross-connections and reduces ordering and storage costs.

**Uniform test system
with standardized test tap**



Clear wiring without protruding bending radius



**Clear recognition of the functional areas,
even in the wired state**

**Compatible with classic connection
PUSH IN terminal blocks**

Weidmüller – Your partner in Industrial Connectivity

As experienced experts we support our customers and partners around the world with products, solutions and services in the industrial environment of power, signal and data. We are at home in their industries and markets and know the technological challenges of tomorrow. We are therefore continuously developing innovative, sustainable and useful solutions for their individual needs. Together we set standards in Industrial Connectivity.

Weidmüller, Inc

821 Southlake Blvd.

Richmond, Virginia 23236

Telephone: (800) 849-9343

Facsimile: (804) 379-2593

Email: customerservice@weidmuller.com

Website: www.weidmuller.com

Personal support can
be found on our website:
www.weidmuller.com/contact

USA Version
04/23 | LIT2027

Weidmüller 