

Optimization of LL 5.0x


As continuous improvement on product is strategy to keep product competency in the market, we have been optimizing OMNIMATE Signal LL 5.0x to achieve such goal.

Status:


With the challenges of friendly operation in mind and in our efforts to constantly optimize our product, we have implemented the optimization for PCB terminals - OMNIMATE Signal LL 5.0x. This optimization is to make product improvement, considerably for user friendliness for the application, while there is no any change to LL 5.0x technical specifications.

Technical Optimization:

- "Wire Ready" function has been improved, which ensures wire entrance without additional adjustment during manufacturing process.
- Size of metal part exposure at back side reduced. It is designed to prevent possibility of inappropriate contact with current bar during the manufacturing.



Pic. 1: LL 5.0x - Before Optimization



Pic. 2: LL 5.0x - After Optimization

Results/Availability:

The adjustment of the product change has been validated as smooth as possible without big influence.

- The optimized LL 5.0x can be deliverable from 2018
- Parts with previous design will still be delivered continuously until the inventory is used up
- The articles no. remains with no change

As we understand that every customer has kind of unique condition. If you see the potential issue occurs please contact us directly. We will find a solution and are able to talk about support to you. We thank all participants and are confident that you will help us furthermore to reach these goals.

For further questions you can contact us at any time.

Affected parts in detail:

LL 5.00

Part Number	Description
1001720000	LL 5.00/04/90 3.2SN OR BX
1001730000	LL 5.00/05/90 3.2SN OR BX
1001740000	LL 5.00/06/90 3.2SN OR BX
1001750000	LL 5.00/07/90 3.2SN OR BX
1001760000	LL 5.00/08/90 3.2SN OR BX
1001770000	LL 5.00/09/90 3.2SN OR BX
1001780000	LL 5.00/10/90 3.2SN OR BX
1001790000	LL 5.00/11/90 3.2SN OR BX
1001800000	LL 5.00/12/90 3.2SN OR BX
1001810000	LL 5.00/14/90 3.2SN OR BX
1001820000	LL 5.00/16/90 3.2SN OR BX
1001830000	LL 5.00/24/90 3.2SN OR BX
1067530000	LL 5.00/02/90 3.2SN BK BX
1067540000	LL 5.00/03/90 3.2SN BK BX
1251330000	LL 5.00/13/90 3.2SN OR BX
1251340000	LL 5.00/15/90 3.2SN OR BX
1251350000	LL 5.00/17/90 3.2SN OR BX
1251360000	LL 5.00/18/90 3.2SN OR BX
1251370000	LL 5.00/19/90 3.2SN OR BX
1251380000	LL 5.00/20/90 3.2SN OR BX
1251390000	LL 5.00/21/90 3.2SN OR BX
1251410000	LL 5.00/22/90 3.2SN OR BX
1251420000	LL 5.00/23/90 3.2SN OR BX
1922920000	LL 5.00/02/90 4.5SN GY BX
1922930000	LL 5.00/20/90 4.5SN GY BX
1922940000	LL 5.00/08/90 4.5SN RD BX
1922950000	LL 5.00/08/90 4.5SN GY BX
1934270000	LL 5.00/02/90 3.2SN OR BX
1934280000	LL 5.00/03/90 3.2SN OR BX
1994230000	LL 5.00/02/180 3.2SN OR BX
1994240000	LL 5.00/03/180 3.2SN OR BX
2429470000	LL 5.00/04/180 3.2SN OR BX
2429530000	LL 5.00/05/180 3.2SN OR BX
2429540000	LL 5.00/06/180 3.2SN OR BX
2429550000	LL 5.00/07/180 3.2SN OR BX

2429560000	LL 5.00/08/180 3.2SN OR BX
2429570000	LL 5.00/09/180 3.2SN OR BX
2429580000	LL 5.00/10/180 3.2SN OR BX
2429590000	LL 5.00/11/180 3.2SN OR BX
2429600000	LL 5.00/12/180 3.2SN OR BX
2429610000	LL 5.00/13/180 3.2SN OR BX
2429620000	LL 5.00/14/180 3.2SN OR BX
2429630000	LL 5.00/15/180 3.2SN OR BX
2429640000	LL 5.00/16/180 3.2SN OR BX
2429650000	LL 5.00/17/180 3.2SN OR BX
2429660000	LL 5.00/18/180 3.2SN OR BX
2429670000	LL 5.00/19/180 3.2SN OR BX
2429680000	LL 5.00/20/180 3.2SN OR BX
2429690000	LL 5.00/21/180 3.2SN OR BX
2429700000	LL 5.00/22/180 3.2SN OR BX
2429710000	LL 5.00/23/180 3.2SN OR BX
2429720000	LL 5.00/24/180 3.2SN OR BX
2429800000	LL 5.00/05/90 3.2SN OR BX TB
2544790000	LL 5.00/02/90 3.2SN BK BX SO

LL 5.08


Part Number	Description
1067560000	LL 5.08/02/90 3.2SN BK BX
1067570000	LL 5.08/03/90 3.2SN BK BX
1507440000	LL 5.08/06/90 3.2SN BK BX
2010750000	LL 5.08/16/90 3.2SN BK BX
2020840000	LL 5.08/16/90 3.2SN BK BX PRT
2421490000	LL 5.08/16/90 3.2SN BK BX PRT
1461280000	LL 5.08/09/90 3.2SN OR BX TB
1045740000	LL 5.08/03/90 3.2SN GN BX
1045730000	LL 5.08/02/90 3.2SN GN BX
1934470000	LL 5.08/02/90/4.5SN OR BX
1934480000	LL 5.08/03/90/4.5SN OR BX
1934250000	LL 5.08/02/90 3.2SN OR BX
1934260000	LL 5.08/03/90 3.2SN OR BX
1001850000	LL 5.08/04/90 3.2SN OR BX
1001860000	LL 5.08/05/90 3.2SN OR BX
1001870000	LL 5.08/06/90 3.2SN OR BX
1001880000	LL 5.08/07/90 3.2SN OR BX
1001890000	LL 5.08/08/90 3.2SN OR BX

1001900000	LL 5.08/09/90 3.2SN OR BX
1001910000	LL 5.08/10/90 3.2SN OR BX
1001920000	LL 5.08/11/90 3.2SN OR BX
1001930000	LL 5.08/12/90 3.2SN OR BX
1001940000	LL 5.08/13/90 3.2SN OR BX
1001950000	LL 5.08/14/90 3.2SN OR BX
1001960000	LL 5.08/15/90 3.2SN OR BX
1001970000	LL 5.08/16/90 3.2SN OR BX
1001980000	LL 5.08/17/90 3.2SN OR BX
1001990000	LL 5.08/18/90 3.2SN OR BX
1002000000	LL 5.08/19/90 3.2SN OR BX
1002010000	LL 5.08/20/90 3.2SN OR BX
1002020000	LL 5.08/21/90 3.2SN OR BX
1002030000	LL 5.08/22/90 3.2SN OR BX
1002040000	LL 5.08/23/90 3.2SN OR BX
1002050000	LL 5.08/24/90 3.2SN OR BX
1994250000	LL 5.08/02/180 3.2SN OR BX
1994260000	LL 5.08/03/180 3.2SN OR BX
2429810000	LL 5.08/04/180 3.2SN OR BX
2431930000	LL 5.08/05/180 3.2SN OR BX
2431950000	LL 5.08/06/180 3.2SN OR BX
2431960000	LL 5.08/07/180 3.2SN OR BX
2431970000	LL 5.08/08/180 3.2SN OR BX
2431980000	LL 5.08/09/180 3.2SN OR BX
2431990000	LL 5.08/10/180 3.2SN OR BX
2432000000	LL 5.08/11/180 3.2SN OR BX
2432010000	LL 5.08/12/180 3.2SN OR BX
2432020000	LL 5.08/13/180 3.2SN OR BX
2432030000	LL 5.08/14/180 3.2SN OR BX
2432040000	LL 5.08/15/180 3.2SN OR BX
2432050000	LL 5.08/16/180 3.2SN OR BX
2432060000	LL 5.08/17/180 3.2SN OR BX
2432070000	LL 5.08/18/180 3.2SN OR BX
2432080000	LL 5.08/19/180 3.2SN OR BX
2432090000	LL 5.08/20/180 3.2SN OR BX
2432100000	LL 5.08/21/180 3.2SN OR BX
2432110000	LL 5.08/22/180 3.2SN OR BX
2432120000	LL 5.08/23/180 3.2SN OR BX
2432130000	LL 5.08/24/180 3.2SN OR BX

With best regards



Chris Xu
Product Support Device Connectivity
PCB Terminal



Johann Klippenstein
Head of Product Management
Device Connectivity

Weidmueller – Your partner in Industrial Connectivity
We look forward to sharing ideas with you – **Let's connect.**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16, 32758 Detmold, Deutschland