

Technical change / Redesign B2CF 3.50

Dear Madam or Sir,


the below listed articles will be supplied in a modified revision. Please pass this product information on to your employees and, if needed, to your customers. All modifications are performed for reasons of product improvements.

1. Initial situation

The B2CF 3.50 product family has a stripping length of 10mm over the entire conductor cross-section range from 0.14mm² to 1.50mm². Except two conductor cross sections for the application with ferrule with plastic collar, so the 0.75mm² and 1mm² with ferrule and plastic collar has a stripping length/ferrule contact surface length of 12mm.

2. Reason of Change

Harmonisation of the stripping lengths for all conductor cross-sections to 10mm.



$L / L_2 = \text{stripping length} / \text{ferrule contact surface length}$

3. Technical Change



In order to achieve the stripping length of 10mm for all conductor cross-sections, changes must be made to the outer contour of the pusher and conductor entry.

The changes mean that pin markers can no longer be used in the future: All other technical properties remain unchanged.



The previously communicated stripping length of 12 mm is also applicable with the new version and fulfilled all previous technical properties but will be adapted in the technical data sheets.

OLD Version





B2CF 3.50/180








NEW Version



B2CF 3.50/180F



OLD Version		NEW Version	
B2CF 3.50/180LR			
			
B2CF 3.50/180LH			
			


4. Change of marking/printing:

The changes also have the effect that pin markers can no longer be used in the future:


- pin markers can no longer be used in the future. Therefore, all B2CFs equipped with pin markers so far will be delivered with lateral laser inscription in the future.
- Any colored pin markers that may have been used will be replaced by corresponding colored pushers and the printing will also be replaced with lateral laser marking.
- all B2CF printed with Tampoprint are also changed to laser marking. The printing colour on orange B2CFs changes from black to light grey.

All other technical properties remain unchanged.


OLD Version Pin Marker



NEW Version Laserprinting



Original part in orange & black with laserprinting



5. Availability

The adjustments will take place at the beginning of 2022. The article numbers will remain the same, no stock adjustment will be made. Mixing may occur in a delivery, but not within the packaging

6. Affected parts

A list of the affected items is shown attached, and in the case of a customized article, the type of change is explained.

We are very sorry for all the inconveniences caused and doing everything to adjust this product change as smooth as possible without big influence on delivery times and general functions.

For further questions please contact your sales office directly. All contacts for sales representatives are available here:
www.weidmueller.com/contact

Best regards

Product Management

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16, 32758 Detm OLD, Germany

Weidmüller – Your partner in Industrial Connectivity
We look forward to sharing ideas with you – **Let's connect.**

List of standard articles:

B2CF 3.50/180		B2CF 3.50/180F	
Part number	Description	Part number	Description
1277270000	B2CF 3.50/04/180 SN OR BX	1277650000	B2CF 3.50/04/180F SN OR BX
1277280000	B2CF 3.50/06/180 SN OR BX	1277670000	B2CF 3.50/06/180F SN OR BX
1277290000	B2CF 3.50/08/180 SN OR BX	1277680000	B2CF 3.50/08/180F SN OR BX
1277310000	B2CF 3.50/10/180 SN OR BX	1277690000	B2CF 3.50/10/180F SN OR BX
1277320000	B2CF 3.50/12/180 SN OR BX	1277720000	B2CF 3.50/12/180F SN OR BX
1277330000	B2CF 3.50/14/180 SN OR BX	1277730000	B2CF 3.50/14/180F SN OR BX
1277340000	B2CF 3.50/16/180 SN OR BX	1277740000	B2CF 3.50/16/180F SN OR BX
1277350000	B2CF 3.50/18/180 SN OR BX	1277750000	B2CF 3.50/18/180F SN OR BX
1277360000	B2CF 3.50/20/180 SN OR BX	1277760000	B2CF 3.50/20/180F SN OR BX
1277370000	B2CF 3.50/22/180 SN OR BX	1277770000	B2CF 3.50/22/180F SN OR BX
1277380000	B2CF 3.50/24/180 SN OR BX	1277780000	B2CF 3.50/24/180F SN OR BX
1277390000	B2CF 3.50/26/180 SN OR BX	1277790000	B2CF 3.50/26/180F SN OR BX
1277410000	B2CF 3.50/28/180 SN OR BX	1277810000	B2CF 3.50/28/180F SN OR BX
1277420000	B2CF 3.50/30/180 SN OR BX	1277820000	B2CF 3.50/30/180F SN OR BX
1277430000	B2CF 3.50/32/180 SN OR BX	1277830000	B2CF 3.50/32/180F SN OR BX
1277440000	B2CF 3.50/34/180 SN OR BX	1277840000	B2CF 3.50/34/180F SN OR BX
1277450000	B2CF 3.50/36/180 SN OR BX	1277850000	B2CF 3.50/36/180F SN OR BX
2556130000	B2CF 3.50/38/180 SN OR BX	2558510000	B2CF 3.50/38/180F SN OR BX
2558420000	B2CF 3.50/40/180 SN OR BX	2558520000	B2CF 3.50/40/180F SN OR BX
2558430000	B2CF 3.50/42/180 SN OR BX	2558530000	B2CF 3.50/42/180F SN OR BX
2558440000	B2CF 3.50/44/180 SN OR BX	2558540000	B2CF 3.50/44/180F SN OR BX
2558450000	B2CF 3.50/46/180 SN OR BX	2558550000	B2CF 3.50/46/180F SN OR BX
1277460000	B2CF 3.50/04/180 SN BK BX	1277860000	B2CF 3.50/04/180F SN BK BX
1277470000	B2CF 3.50/06/180 SN BK BX	1277870000	B2CF 3.50/06/180F SN BK BX
1277480000	B2CF 3.50/08/180 SN BK BX	1277880000	B2CF 3.50/08/180F SN BK BX
1277490000	B2CF 3.50/10/180 SN BK BX	1277890000	B2CF 3.50/10/180F SN BK BX
1277510000	B2CF 3.50/12/180 SN BK BX	1277900000	B2CF 3.50/12/180F SN BK BX
1277520000	B2CF 3.50/14/180 SN BK BX	1277910000	B2CF 3.50/14/180F SN BK BX
1277530000	B2CF 3.50/16/180 SN BK BX	1277920000	B2CF 3.50/16/180F SN BK BX
1277540000	B2CF 3.50/18/180 SN BK BX	1277930000	B2CF 3.50/18/180F SN BK BX
1277550000	B2CF 3.50/20/180 SN BK BX	1277940000	B2CF 3.50/20/180F SN BK BX
1277560000	B2CF 3.50/22/180 SN BK BX	1277950000	B2CF 3.50/22/180F SN BK BX
1277570000	B2CF 3.50/24/180 SN BK BX	1277970000	B2CF 3.50/24/180F SN BK BX
1277580000	B2CF 3.50/26/180 SN BK BX	1277980000	B2CF 3.50/26/180F SN BK BX
1277590000	B2CF 3.50/28/180 SN BK BX	1277990000	B2CF 3.50/28/180F SN BK BX
1277610000	B2CF 3.50/30/180 SN BK BX	1278000000	B2CF 3.50/30/180F SN BK BX
1277620000	B2CF 3.50/32/180 SN BK BX	1278010000	B2CF 3.50/32/180F SN BK BX
1277630000	B2CF 3.50/34/180 SN BK BX	1278020000	B2CF 3.50/34/180F SN BK BX
1277640000	B2CF 3.50/36/180 SN BK BX	1278030000	B2CF 3.50/36/180F SN BK BX
2558460000	B2CF 3.50/38/180 SN BK BX	2558560000	B2CF 3.50/38/180F SN BK BX
2558470000	B2CF 3.50/40/180 SN BK BX	2558570000	B2CF 3.50/40/180F SN BK BX
2558480000	B2CF 3.50/42/180 SN BK BX	2558580000	B2CF 3.50/42/180F SN BK BX
2558490000	B2CF 3.50/44/180 SN BK BX	2558590000	B2CF 3.50/44/180F SN BK BX
2558500000	B2CF 3.50/46/180 SN BK BX	2558600000	B2CF 3.50/46/180F SN BK BX

B2CF 3.50/180LR		B2CF 3.50/180LH	
Part number	Description	Part number	Description
1278040000	B2CF 3.50/04/180LR SN OR BX	1375890000	B2CF 3.50/04/180LH SN OR BX
1278050000	B2CF 3.50/06/180LR SN OR BX	1375900000	B2CF 3.50/06/180LH SN OR BX
1278060000	B2CF 3.50/08/180LR SN OR BX	1375910000	B2CF 3.50/08/180LH SN OR BX
1278070000	B2CF 3.50/10/180LR SN OR BX	1375920000	B2CF 3.50/10/180LH SN OR BX
1278080000	B2CF 3.50/12/180LR SN OR BX	1375930000	B2CF 3.50/12/180LH SN OR BX
1278090000	B2CF 3.50/14/180LR SN OR BX	1375940000	B2CF 3.50/14/180LH SN OR BX
1278100000	B2CF 3.50/16/180LR SN OR BX	1375950000	B2CF 3.50/16/180LH SN OR BX
1278110000	B2CF 3.50/18/180LR SN OR BX	1375970000	B2CF 3.50/18/180LH SN OR BX
1278120000	B2CF 3.50/20/180LR SN OR BX	1375980000	B2CF 3.50/20/180LH SN OR BX
1278130000	B2CF 3.50/22/180LR SN OR BX	1375990000	B2CF 3.50/22/180LH SN OR BX
1278140000	B2CF 3.50/24/180LR SN OR BX	1365820000	B2CF 3.50/24/180LH SN OR BX
1278150000	B2CF 3.50/26/180LR SN OR BX	1376000000	B2CF 3.50/26/180LH SN OR BX
1278170000	B2CF 3.50/28/180LR SN OR BX	1376010000	B2CF 3.50/28/180LH SN OR BX
1278180000	B2CF 3.50/30/180LR SN OR BX	1376020000	B2CF 3.50/30/180LH SN OR BX
1278190000	B2CF 3.50/32/180LR SN OR BX	1376030000	B2CF 3.50/32/180LH SN OR BX
1278200000	B2CF 3.50/34/180LR SN OR BX	1376040000	B2CF 3.50/34/180LH SN OR BX
1278210000	B2CF 3.50/36/180LR SN OR BX	1376050000	B2CF 3.50/36/180LH SN OR BX
2558610000	B2CF 3.50/38/180LR SN OR BX	2558720000	B2CF 3.50/38/180LH SN OR BX
2558620000	B2CF 3.50/40/180LR SN OR BX	2558730000	B2CF 3.50/40/180LH SN OR BX
2558640000	B2CF 3.50/42/180LR SN OR BX	2558740000	B2CF 3.50/42/180LH SN OR BX
2558650000	B2CF 3.50/44/180LR SN OR BX	2558750000	B2CF 3.50/44/180LH SN OR BX
2558660000	B2CF 3.50/46/180LR SN OR BX	2558760000	B2CF 3.50/46/180LH SN OR BX
1278230000	B2CF 3.50/04/180LR SN BK BX	1375710000	B2CF 3.50/04/180LH SN BK BX
1278240000	B2CF 3.50/06/180LR SN BK BX	1375720000	B2CF 3.50/06/180LH SN BK BX
1278250000	B2CF 3.50/08/180LR SN BK BX	1375730000	B2CF 3.50/08/180LH SN BK BX
1278260000	B2CF 3.50/10/180LR SN BK BX	1375740000	B2CF 3.50/10/180LH SN BK BX
1278270000	B2CF 3.50/12/180LR SN BK BX	1375750000	B2CF 3.50/12/180LH SN BK BX
1278280000	B2CF 3.50/14/180LR SN BK BX	1375770000	B2CF 3.50/14/180LH SN BK BX
1278290000	B2CF 3.50/16/180LR SN BK BX	1375780000	B2CF 3.50/16/180LH SN BK BX
1278300000	B2CF 3.50/18/180LR SN BK BX	1375790000	B2CF 3.50/18/180LH SN BK BX
1278310000	B2CF 3.50/20/180LR SN BK BX	1375800000	B2CF 3.50/20/180LH SN BK BX
1278320000	B2CF 3.50/22/180LR SN BK BX	1375810000	B2CF 3.50/22/180LH SN BK BX
1278340000	B2CF 3.50/24/180LR SN BK BX	1372870000	B2CF 3.50/24/180LH SN BK BX
1278350000	B2CF 3.50/26/180LR SN BK BX	1375820000	B2CF 3.50/26/180LH SN BK BX
1278370000	B2CF 3.50/28/180LR SN BK BX	1375830000	B2CF 3.50/28/180LH SN BK BX
1278380000	B2CF 3.50/30/180LR SN BK BX	1375840000	B2CF 3.50/30/180LH SN BK BX
1278390000	B2CF 3.50/32/180LR SN BK BX	1375850000	B2CF 3.50/32/180LH SN BK BX
1278400000	B2CF 3.50/34/180LR SN BK BX	1375870000	B2CF 3.50/34/180LH SN BK BX
1278410000	B2CF 3.50/36/180LR SN BK BX	1375880000	B2CF 3.50/36/180LH SN BK BX
2558670000	B2CF 3.50/38/180LR SN BK BX	2558770000	B2CF 3.50/38/180LH SN BK BX
2558680000	B2CF 3.50/40/180LR SN BK BX	2558780000	B2CF 3.50/40/180LH SN BK BX
2558690000	B2CF 3.50/42/180LR SN BK BX	2558790000	B2CF 3.50/42/180LH SN BK BX
2558700000	B2CF 3.50/44/180LR SN BK BX	2558800000	B2CF 3.50/44/180LH SN BK BX
2558710000	B2CF 3.50/46/180LR SN BK BX	2558810000	B2CF 3.50/46/180LH SN BK BX

List of customized articles:

Part number	Description	Variant OLD	Variant NEW
1362190000	B2CF 3.50/04/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1362200000	B2CF 3.50/06/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1362210000	B2CF 3.50/10/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1362220000	B2CF 3.50/28/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1367020000	B2CF 3.50/16/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1367030000	B2CF 3.50/32/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1367040000	B2CF 3.50/36/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1376380000	B2CF 3.50/10/180LH SN BK BX SO	black pusher & release lever	black pusher & release lever
1376390000	B2CF 3.50/16/180LH SN BK BX SO	black pusher & release lever	black pusher & release lever
1376400000	B2CF 3.50/20/180LH SN BK BX SO	black pusher & release lever	black pusher & release lever
1397080000	B2CF 3.50/20/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1446980000	B2CF 3.50/08/180LR SN BK BX PRT	pin-marking	laser-printing on the side
1447000000	B2CF 3.50/12/180LR SN BK BX PRT	pin-marking	laser-printing on the side
1447010000	B2CF 3.50/16/180LR SN BK BX PRT	pin-marking	laser-printing on the side
1447020000	B2CF 3.50/24/180LR SN BK BX PRT	pin-marking	laser-printing on the side
1449730000	B2CF 3.50/30/180LH SN BK BX PRT	pin-marking	laser-printing on the side
1449810000	B2CF 3.50/24/180 SN BK BX PRT	pin-marking	laser-printing on the side
1456500000	B2CF 3.50/16/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1456510000	B2CF 3.50/20/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1456520000	B2CF 3.50/20/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1460020000	B2CF 3.50/10/180 AU BK BX SO	black pusher, coding & pin-marking	black pusher, coding & laser-printing on the side
1460030000	B2CF 3.50/16/180 AU RD BX SO	red housing, pin-marking	red housing, laser-printing on the side
1460180000	B2CF 3.50/06/180LH SN BK BX SO	black pusher & release lever	black pusher & release lever
1460190000	B2CF 3.50/10/180LH SN BK BX SO	black pusher & release lever	black pusher & release lever
1460200000	B2CF 3.50/36/180LH SN BK BX SO	black pusher & release lever	black pusher & release lever
1462000000	B2CF 3.50/10/180 AU BK BX SO	black pusher, coding & pin-marking	black pusher, coding & laser-printing on the side
1477270000	B2CF 3.50/08/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1477280000	B2CF 3.50/12/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1477290000	B2CF 3.50/24/180LH SN BK BX SO	black pusher & release lever, pin-marking	black pusher & release lever, laser printing on the side
1519900000	B2CF 3.50/06/180LR AU BK BX	gold-plated	gold-plated
1519920000	B2CF 3.50/12/180LR AU BK BX	gold-plated	gold-plated
1535020000	B2CF 3.50/06/180LH SN BK BX SO	black pusher & release lever	black pusher & release lever

Part number	Description	Variant OLD	Variant NEW
1537010000	B2CF 3.50/16/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
1537030000	B2CF 3.50/20/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
1537040000	B2CF 3.50/20/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
1538270000	B2CF 3.50 SET BOSCH R911173648 AA1	set of different B2CF	set of different B2CF
1540310000	B2CF 3.50/10/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
1547100000	B2CF 3.50/30/180F SN BK BX PRT	pad printing	laser-printing on the side
1551300000	B2CF 3.50/10/180F SN BK BX PRT	pad printing	laser-printing on the side
1551310000	B2CF 3.50/08/180F SN BK BX PRT	pad printing	laser-printing on the side
1551320000	B2CF 3.50/04/180F SN BK BX PRT	pad printing	laser-printing on the side
1552940000	B2CF 3.50/16/180F SN BK BX SO	Pusher in black & orange	Pusher in black & orange
1552970000	B2CF 3.50/32/180F SN BK BX SO	Pusher in black & orange	Pusher in black & orange
1993830000	B2CF 3.50/04/180F AU BK BX	gold-plated	gold-plated
1994640000	B2CF 3.50/08/180F SN BK BX PRT	pin-marking	laser-printing on the side
1994660000	B2CF 3.50/16/180F SN BK BX PRT	pin-marking	laser-printing on the side
1994670000	B2CF 3.50/24/180F SN BK BX PRT	pin-marking	laser-printing on the side
1994840000	B2CF 3.50/10/180 SN OR BX PRT	pad printing	laser-printing on the side
2000450000	B2CF 3.50/12/180LH SN BK BX SO	black pusher & release lever	black pusher & release lever
2002160000	B2CF 3.50/14/180 SN BK BX PRT	pin-marking	laser-printing on the side
2009400000	B2CF 3.50/14/180F SN BK BX PRT	pad printing	laser-printing on the side
2077870000	B2CF 3.50/10/180 AU BK BX SO	black pusher, coding & pin-marking	black pusher, coding & laser-printing on the side
2077880000	B2CF 3.50/10/180 AU BK BX SO	black pusher, coding & pin-marking	black pusher, coding & laser-printing on the side
2077980000	B2CF 3.50/16/180 AU RD BX SO	red housing, pin-marking	red housing, laser-printing on the side
2086510000	B2CF 3.50/12/180LR SN BK BX LRP	laser-printing on the side	laser-printing on the side
2086520000	B2CF 3.50/24/180LR SN BK BX LRP	laser-printing on the side	laser-printing on the side
2086530000	B2CF 3.50/32/180LR SN BK BX LRP	laser-printing on the side	laser-printing on the side
2086540000	B2CF 3.50/34/180LR SN BK BX LRP	laser-printing on the side	laser-printing on the side
2086550000	B2CF 3.50/36/180LR SN BK BX LRP	laser-printing on the side	laser-printing on the side
2088890000	B2CF 3.50/30/180LR SN BK BX LRP	laser-printing on the side	laser-printing on the side
2099720000	B2CF 3.50/16/180 SN OR BX LRP	laser-printing on the side	laser-printing on the side
2152780000	B2CF 3.50/14/180 AU BK BX	gold-plated	gold-plated
2427820000	B2CF 3.50/06/180 SN RD BX	red housing	red housing
2428890000	B2CF 3.50/10/180 SN BK BX LRP	laser-printing on the side	laser-printing on the side
2428900000	B2CF 3.50/08/180 SN BK BX LRP	laser-printing on the side	laser-printing on the side
2433580000	B2CF 3.50/18/180F SN BK BX LRP	laser-printing on the side	laser-printing on the side
2441840000	B2CF 3.50/04/180F SN BK BX CO	coded	coded
2443180000	B2CF 3.50/12/180 SN TYL BX PRT	yellow housing, pad-printing	yellow housing, laser-printing on the side
2443300000	B2CF 3.50/22/180 SN OR BX LRP	laser-printing on the side	laser-printing on the side
2446440000	B2CF 3.50/04/180LR SN BK BX SO	black pusher & look&release lever, pin-marking	black pusher & look&release lever, laser printing on the side
2446450000	B2CF 3.50/06/180LR SN BK BX SO	black pusher & release lever, pin-marking	black pusher & look&release lever, laser printing on the side

Part number	Description	Variant OLD	Variant NEW
2446460000	B2CF 3.50/10/180LR SN BK BX SO	black pusher & release lever, pin-marking	black pusher & look&release lever, laser printing on the side
2446470000	B2CF 3.50/28/180LR SN BK BX SO	black pusher & release lever, pin-marking	black pusher & look&release lever, laser printing on the side
2446480000	B2CF 3.50/04/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
2446490000	B2CF 3.50/06/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
2446500000	B2CF 3.50/10/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
2446510000	B2CF 3.50/28/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
2446520000	B2CF 3.50/32/180LR SN BK BX SO	black pusher & release lever, pin-marking	black pusher & look&release lever, laser printing on the side
2446530000	B2CF 3.50/32/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
2446540000	B2CF 3.50/08/180LR SN BK BX SO	black pusher & release lever, pin-marking	black pusher & look&release lever, laser printing on the side
2446550000	B2CF 3.50/12/180LR SN BK BX SO	black pusher & release lever, pin-marking	black pusher & look&release lever, laser printing on the side
2446560000	B2CF 3.50/24/180LR SN BK BX SO	black pusher & release lever, pin-marking	black pusher & look&release lever, laser printing on the side
2446570000	B2CF 3.50/08/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
2446580000	B2CF 3.50/12/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
2446590000	B2CF 3.50/24/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
2469450000	B2CF 3.50/26/180F SN BK BX CO	coded	coded
2469460000	B2CF 3.50/20/180LR SN BK BX SO	black pusher & release lever, pin-marking	black pusher & look&release lever, laser printing on the side
2469470000	B2CF 3.50/20/180F SN BK BX SO	black pusher & pin-marking	black pusher & laser-printing on the side
2469510000	B2CF 3.50/26/180F SN BK BX CO	coded	coded
2469670000	B2CF 3.50/04/180F SN BK BX SO	flange only left side	flange only left side
2497550000	B2CF 3.50/14/180F AU BK BX	gold-plated	gold-plated
2509160000	B2CF 3.50/10/180FZE SN BK BX SO	black pusher	black pusher
2509580000	B2CF 3.50/04/180 SN OR BX PRT	pin-marking	laser-printing on the side
2509600000	B2CF 3.50/06/180 SN OR BX PRT	pin-marking	laser-printing on the side
2509610000	B2CF 3.50/08/180 SN OR BX PRT	pin-marking	laser-printing on the side
2509620000	B2CF 3.50/10/180 SN OR BX PRT	pin-marking	laser-printing on the side
2509630000	B2CF 3.50/14/180 SN OR BX PRT	pin-marking	laser-printing on the side
2509640000	B2CF 3.50/16/180 SN OR BX PRT	pin-marking	laser-printing on the side
2509650000	B2CF 3.50/36/180LH SN OR BX PRT	pin-marking	laser-printing on the side
2518300000	B2CF 3.50/20/180LR SN BK BX SO	pad printing & coding	laser-printing on the side & coding
2523990000	B2CF 3.50/04/180 SN OR BX LRP	laser-printing on the side	laser-printing on the side
2524000000	B2CF 3.50/10/180 SN OR BX LRP	laser-printing on the side	laser-printing on the side
2524010000	B2CF 3.50/16/180 SN OR BX LRP	laser-printing on the side	laser-printing on the side
2524030000	B2CF 3.50/10/180F SN BK BX PRT	pad printing	laser-printing on the side
2526870000	B2CF 3.50/10/180LR AU BK BX SO	black pusher, coding & pin-marking	black pusher, coding & laser-printing on the side

Part number	Description	Variant OLD	Variant NEW
2526910000	B2CF 3.50/22/180LR SN BK BX PRT	pad printing	laser-printing on the side
2526920000	B2CF 3.50/10/180LR AU BK BX SO	black pusher, coding & pin-marking	black pusher, coding & laser-printing on the side
2536570000	B2CF 3.50/08/180 SN OR BX PRT	pad printing	laser-printing on the side
2536590000	B2CF 3.50/08/180 SN OR BX PRT	pad printing	laser-printing on the side
2539140000	B2CF 3.50/16/180LR AU RD BX SO	red housing, pin-marking	red housing, laser-printing on the side
2550320000	B2CF 3.50/08/180 SN OR BX LRP	laser-printing on the side	laser-printing on the side
2558820000	B2CF 3.50/46/180LR AU OR BX	gold-plated	gold-plated
2560690000	B2CF 3.50/10/180 SN BK BX SO	coded	coded
2576390000	B2CF 3.50/14/180 SN OR BX PRT	pad printing	laser-printing on the side
2576480000	B2CF 3.50/04/180F SN YL BX CO	yellow housing, coding	yellow housing, coding
2576630000	B2CF 3.50/04/180F SN BK BX SO	grey pusher & coding	grey pusher & coding
2576640000	B2CF 3.50/14/180F SN YL BX SO	yellow housing, coding	yellow housing, coding
2576650000	B2CF 3.50/14/180F SN BK BX SO	grey pusher & coding	grey pusher & coding
2578000000	B2CF 3.50/08/180F SN BK BX SO	grey pusher & coding	grey pusher & coding
2578090000	B2CF 3.50/08/180F SN YL BX SO	yellow housing, coding	yellow housing, coding
2578840000	B2CF 3.50/06/180F SN BK BX PRT	pad printing	laser-printing on the side
2579920000	B2CF 3.50/12/180F SN BK BX SO	grey pusher & coding	grey pusher & coding
2593030000	B2CF 3.50/20/180LR SN OR BX PRT	pad printing	laser-printing on the side
2593050000	B2CF 3.50/34/180LR SN OR BX PRT	pad printing	laser-printing on the side
2634760000	B2CF 3.50/24/180 SN OR BX SO	black pusher, coding & pad-printing	black pusher, coding & laser-printing on the side
2634780000	B2CF 3.50/20/180 SN BK BX SO	pad printing & coding	laser-printing on the side & coding
2634790000	B2CF 3.50/20/180 SN OR BX SO	black pusher, coding & pad-printing	black pusher, coding & laser-printing on the side
2637370000	B2CF 3.50/20/180F SN BK BX PRT	pad printing	laser-printing on the side
2637520000	B2CF 3.50/36/180F SN BK BX PRT	pad printing	laser-printing on the side
2637640000	B2CF 3.50/06/180LR SN OR BX PRT	black pusher & release lever, pad-printing	black pusher & release lever, laser printing on the side
2653430000	B2CF 3.50/36/180F SN BK BX PRT	pad printing	laser-printing on the side
2654260000	B2CF 3.50/34/180LR AU OR BX	black pusher & look&release lever	black pusher & look&release lever
2654270000	B2CF 3.50/36/180LR AU OR BX	black pusher & look&release lever	black pusher & look&release lever
2654690000	B2CF 3.50/06/180F SN OR BX PRT	pad printing	laser-printing on the side
2654740000	B2CF 3.50/06/180F AU BK BX	gold-plated	gold-plated
2654770000	B2CF 3.50/08/180F AU BK BX	gold-plated	gold-plated
2654780000	B2CF 3.50/12/180F AU BK BX	gold-plated	gold-plated
2654790000	B2CF 3.50/20/180F AU BK BX	gold-plated	gold-plated
2655380000	B2CF 3.50/08/180F SN OR BX PRT	pad printing	laser-printing on the side
2655390000	B2CF 3.50/04/180F SN BK BX PRT	pad printing	laser-printing on the side
2661100000	B2CF 3.50/16/180F SN OR BX SO	black pusher, coding & pad-printing	black pusher, coding & laser-printing on the side
2661130000	B2CF 3.50/18/180F SN OR BX SO	black pusher, coding & pad-printing	black pusher, coding & laser-printing on the side
2665710000	B2CF 3.50/20/180 SN BK BX SO	pad printing & coding	laser-printing on the side & coding
2668400000	B2CF 3.50/14/180 SN BK BX SO	coded	coded
2669560000	B2CF 3.50/08/180F SN BK BX SO	pin-marking	laser-printing on the side
2669700000	B2CF 3.50/12/180F SN BK BX SO	pin-marking	laser-printing on the side

Part number	Description	Variant OLD	Variant NEW
2669710000	B2CF 3.50/16/180F SN BK BX SO	pin-marking	laser-printing on the side
2669720000	B2CF 3.50/24/180F SN BK BX SO	pin-marking	laser-printing on the side
2671700000	B2CF 3.50/06/180 SN BK BX CO	coded	coded
2671710000	B2CF 3.50/06/180 SN BK BX CO	coded	coded
2671730000	B2CF 3.50/14/180F SN BK BX SO	pusher in yellow	pusher in yellow
2671780000	B2CF 3.50/08/180F SN BK BX SO	pusher in red, blue & yellow, coded	pusher in red, blue & yellow, coded
2671790000	B2CF 3.50/12/180F SN BK BX SO	pusher in red, blue & yellow, coded	pusher in red, blue & yellow, coded
2671800000	B2CF 3.50/16/180F SN BK BX SO	pusher in red, blue & yellow, coded	pusher in red, blue & yellow, coded
2685370000	B2CF 3.50/10/180F SN OR BX PRT	black pusher & pin-marking	black pusher & laser-printing on the side
2689780000	B2CF 3.50/28/180F SN OR BX PRT	black pusher & pin-marking	black pusher & laser-printing on the side
2690590000	B2CF 3.50/16/180LR AU OR BX	gold-plated	gold-plated
2690970000	B2CF 3.50/08/180LR SN OR BX PRT	pad printing	laser-printing on the side
2698770000	B2CF 3.50/08/180 SN OR BX PRT	pad printing	laser-printing on the side
2701600000	B2CF 3.50/06/180F SN BK BX SO	black pusher	black pusher
2701640000	B2CF 3.50/10/180F SN BK BX SO	black pusher	black pusher
2707370000	B2CF 3.50/32/180LR SN BK BX PRT	pad printing	laser-printing on the side
2707400000	B2CF 3.50/16/180LR SN BK BX PRT	pad printing	laser-printing on the side
2707410000	B2CF 3.50/10/180LR SN BK BX PRT	pad printing	laser-printing on the side
2707420000	B2CF 3.50/36/180LR SN BK BX PRT	pad printing	laser-printing on the side
2709390000	B2CF 3.50/18/180LR SN OR BX PRT	pad printing	laser-printing on the side
2710760000	B2CF 3.50/04/180 SN RD BX	red housing	red housing
2716010000	B2CF 3.50/16/180 SN BK BX SO	pusher in red	pusher in red
2737220000	B2CF 3.50/36/180LR SN BK BX SO	black pusher & release lever, pin-marking	black pusher & look&release lever, laser printing on the side
2746230000	B2CF 3.50/04/180F SN BK BX SO	black pusher	black pusher
2746860000	B2CF 3.50/06/180 SN OR BX CO	coded	coded
2746930000	B2CF 3.50/18/180 SN OR BX CO	coded	coded
2769390000	B2CF 3.50/06/180 SN BK BX SO	pusher in red	pusher in red
2769740000	B2CF 3.50/08/180 SN BK BX SO	pusher in red	pusher in red
2771850000	B2CF 3.50/08/180F SN BK BX SO	customized packaging & lable	customized packaging & lable
2772260000	B2CF 3.50/12/180F SN BK BX LRP	laser-printing on the side	laser-printing on the side
2772690000	B2CF 3.50 SET BOSCH R911175121	set of different B2CF	set of different B2CF
1552420000	SET B2CF 3.50 REDUZ	set of different B2CF	set of different B2CF
2796370000	B2CF 3.50/34/180F SN BK BX PRT	pad printing	laser-printing on the side
2796380000	B2CF 3.50/32/180F SN BK BX PRT	pad printing	laser-printing on the side
2796390000	B2CF 3.50/24/180F SN BK BX PRT	pad printing	laser-printing on the side
2796400000	B2CF 3.50/14/180F SN BK BX PRT	pad printing	laser-printing on the side
2799080000	B2CF 3.50/06/180F SN OR BX PRT	pad printing	laser-printing on the side
2799660000	B2CF 3.50/08/180 SN OR BX PRT	pad printing & coding	laser-printing on the side & coded
2811140000	B2CF 3.50/06/180F SN OR BX PRT	pad printing	laser-printing on the side
2811370000	B2CF 3.50/08/180F SN OR BX PRT	pad printing	laser-printing on the side
2811380000	B2CF 3.50/12/180F SN OR BX PRT	pad printing	laser-printing on the side
2811390000	B2CF 3.50/14/180F SN OR BX PRT	pad printing	laser-printing on the side
2811400000	B2CF 3.50/16/180F SN OR BX PRT	pad printing	laser-printing on the side
2811410000	B2CF 3.50/20/180F SN OR BX PRT	pad printing	laser-printing on the side

Part number	Description	Variant OLD	Variant NEW
2811420000	B2CF 3.50/24/180F SN OR BX PRT	pad printing	laser-printing on the side
2811430000	B2CF 3.50/28/180F SN OR BX PRT	pad printing	laser-printing on the side
2811450000	B2CF 3.50/32/180F SN OR BX PRT	pad printing	laser-printing on the side
2812510000	B2CF 3.50/10/180F SN OR BX PRT	pad printing	laser-printing on the side
2813810000	B2CF 3.50/08/180 SN GN BX SO	green-housing, pad-printing	green housing, laser-printing on the side
2814390000	B2CF 3.50/08/180 SN GN BX SO	green-housing, pad-printing	green housing, laser-printing on the side
2820700000	B2CF 3.50/36/180F SN GN BX	green-housing, pad-printing	green housing, laser-printing on the side
2821760000	B2CF 3.50/24/180F SN GN BX	green-housing	green housing
2828500000	B2CF 3.50/10/180LR SN OR BX SO	pusher in violett	pusher in violett
2828650000	B2CF 3.50/12/180LR SN OR BX SO	pusher in violett	pusher in violett
2828660000	B2CF 3.50/16/180LR SN OR BX SO	pusher in violett	pusher in violett
2828670000	B2CF 3.50/18/180LR SN OR BX SO	pusher in violett	pusher in violett
2829790000	B2CF 3.50/10/180F SN OR BX PRT	pad printing	laser-printing on the side
2830820000	B2CF 3.50/04/180F SN OR BX PRT	pad printing	laser-printing on the side
2830860000	B2CF 3.50/06/180F SN OR BX PRT	pad printing	laser-printing on the side