

TYPE APPROVAL CERTIFICATE

This is to certify:

that the Network and Communication Components

with type designation(s)
BasicLine Series B unmanaged switches

issued to

Weidmüller Interface GmbH & Co. KG
Detmold, Germany

is found to comply with
DNV rules for classification – Ships, offshore units, and high speed and light craft

Application:

Product(s) approved by this certificate is/are accepted for installation on all vessels classed by DNV.

Location classes:

Temperature	D
Humidity	B
Vibration	A (DIN rail mounting) / B (direct mounting)
EMC	B
Enclosure	A

Issued at **Hamburg** on **2025-06-06**

This Certificate is valid until **2030-06-05**.

for **DNV**

DNV local unit: **Essen**

Approval Engineer: **Dariusz Lesniewski**

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid.
The validity date relates to the Type Approval Certificate and not to the approval of equipment/systems installed.

LEGAL DISCLAIMER: Unless otherwise stated in the applicable contract with the holder of this document, or following from mandatory law, the liability of DNV AS, its parent companies and their subsidiaries as well as their officers, directors and employees ("DNV") arising from or in connection with the services rendered for the purpose of the issuance of this document or reliance thereon, whether in contract or in tort (including negligence), shall be limited to direct losses and under any circumstance be limited to USD 300 000.

Product description

BasicLine Series B unmanaged switches

Article Name	Article Number	HW Rev.
IE-SW-BLB-05-5TX	2908030000	1.0
IE-SW-BLB-08-8TX	2908040000	1.0
IE-SW-BLB-16-16TX	2908050000	1.0
IE-SW-BLB-24-24TX	2908060000	1.0
IE-SW-BLB-05-5GT	2908070000	1.0
IE-SW-BLB-08-8GT	2908080000	1.0
IE-SW-BLB-05-5GT-C	2908070000	1.0
IE-SW-BLB-08-8GT-C	2908110000	1.0
IE-SW-BLB-05-4TX-1FESFP	2908140000	1.0
IE-SW-BLB-08-7TX-1FESFP	2908150000	1.0
IE-SW-BLB-08-6TX-2FESFP	2908160000	1.0
IE-SW-BLB-18-16TX-2GESFP	2908170000	1.0
IE-SW-BLB-05-4GT-1GESFP	2908180000	1.0
IE-SW-BLB-10-8GT-2GESFP	2908190000	1.0

Nomenclature:

IE-SW-BLB-xx	xx = number of ports in total
...TX...	RJ45 port (10/100Base-TX)
...GT...	RJ45 port (10/100/1000Base-TX)
...F...	SFP port (100Base-X)
...G...	SFP Port (100/1000Base-X)
...-C	Coated version

Power supply: 12 / 24 / 48 V DC (nominal)

Mounting: DIN Rail or direct mounting

Compass safe distance:

Steering-Magnetic-Compass: 0,70 m

Standard-Magnetic-Compass: 0,50 m

Approval conditions

The Type Approval covers hardware listed under Product description. When the hardware is used in applications to be classed by DNV, documentation for the actual application is to be submitted for approval by the manufacturer of the application system in each case. Reference is made to DNV rules for classification of ships Pt.4 Ch.9 Control and monitoring systems.

Type Approval documentation

Tests carried out

Applicable tests according to DNV-CG-0339, August 2021.

Compass safe distance was measured according to the sections 11.1 and 11.2 of the IEC 60945, 4th edition (2002).

Marking of product

The products to be marked with:

- manufacturer name
- model name
- serial number
- power supply ratings

Periodical assessment

The scope of the periodical assessment is to verify that the conditions stipulated for the type are complied with, and that no alterations are made to the product design or choice of systems, software versions, components and/or materials.

The main elements of the assessment are:

- Ensure that type approved documentation is available
- Inspection of factory samples, selected at random from the production line (where practicable)
- Review of production and inspection routines, including test records from product sample tests and control routines
- Ensuring that systems, software versions, components and/or materials used comply with type approved documents and/or referenced system, software, component and material specifications

- Review of possible changes in design of systems, software versions, components, materials and/or performance, and make sure that such changes do not affect the type approval given
- Ensuring traceability between manufacturer's product type marking and the type approval certificate

Periodical assessment is to be performed after 2 years and after 3.5 years. A renewal assessment will be performed at renewal of the certificate.

END OF CERTIFICATE