

Technical change to RSM relay interfaces

Dear Madam or Sir,

The above listed articles will be supplied in a modified revision. Please pass this product information on to your employees and, if needed, to your customers. All modifications are performed for reasons of product improvements.


1. Initial situation

Articles on Section 5 were delivered in the past with LP and LP2N connectors. Furthermore, they were delivered with Dekafix*

*Dekafix is the universal marker for terminals, plug-in connectors and electronic modules from the Weidmüller product range (see detail).




DEKAFIX detail




Tampoprint detail

Representative pictures for affected parts:




RSM 4 relay interface




RSM 16 relay interface

2. Technical change

Based on continuous improvement the LP and LP2N connectors will be replaced by LL and LL2N connectors with Tampoprint.



3. Reason for change

Obsolescence of LP and LP2N connector range and addition of **UL-recognized** approvals () on the label for these products, making each interface UL recognized.

4. Availability

Current products in stock still have old connectors. Since today new productions will be with new modifications detailed above. This will be reflected on its KKZ or compatibility indicator which will be increased. As time goes on, products with old compatibility codes will decrease until end of stock following a FIFO process. FIFO stands for *First in – First out* in our stock locations

5. Affected parts

1447400000	RSM-4 12V+ 1CO S	1447410000	RSM-4 12V- 1CO S
1447440000	RSM-4 24V+ 1CO S	1447450000	RSM-4 24V- 1CO S
1447740000	RSM-4I 24V+ 1CO S	1457430000	RSM-4 24V+ BASE S
1447500000	RSM-4 48V+ 1CO S	1447510000	RSM-4 48V- 1CO S
1447540000	RSM-4 24VAC/DC 1CO S	1447570000	RSM-4 115VAC/DC 1CO S
1447600000	RSM-4 230VAC 1CO S	1448610000	RSM-4 12V+ 2CO S
1448620000	RSM-4 12V- 2CO S	1448650000	RSM-4 24V+ 2CO S
1448670000	RSM-4 24V- 2CO S	1448820000	RSM-4I 24V+ 2CO S
1448740000	RSM-4 24VAC/DC 2CO S	1448700000	RSM-4 48V+ 2CO S
1448710000	RSM-4 48V- 2CO S	1448780000	RSM-4 115VAC/DC 2CO S
1448800000	RSM-4 230VAC 2CO S	1447820000	RSM-8 12V+ 1CO S
1447870000	RSM-8 24V+ 1CO S	1448140000	RSM-8I 24V+ 1CO S
1457370000	RSM-8 24V+ BASE S	1447950000	RSM-8 24VAC/DC 1CO S
1447910000	RSM-8 48V+ 1CO S	1447980000	RSM-8 115VAC/DC 1CO S
1448000000	RSM-8 230VAC 1CO S	1448890000	RSM-8 12V+ 2CO S
1448900000	RSM-8 12V- 2CO S	1448930000	RSM-8 24V+ 2CO S
1448940000	RSM-8 24V- 2CO S	1449100000	RSM-8I 24V+ 2CO S
1449030000	RSM-8 24VAC/DC 2CO S	1448980000	RSM-8 48V+ 2CO S
1448990000	RSM-8 48V- 2CO S	1449050000	RSM-8 115VAC/DC 2CO S
1449080000	RSM-8 230VAC 2CO S	1448540000	RSM16-I 24V+ 1CO S
1448370000	RSM-16 24VAC/DC 1CO S	1448390000	RSM-16 115VAC/DC 1CO S
1448410000	RSM-16 230VAC 1CO S	1449380000	RSM-16I 24V+ 2CO S
1449310000	RSM-16 24VAC/DC 2CO S	1449330000	RSM-16 115VAC/DC 2CO S
1449350000	RSM-16 230VAC 2CO S		

6. Data

PCN-number: 20210816

Date of publishing: 08-16-2021

This document has indefinite validity from today

We are very sorry for all the inconveniences caused and doing everything to adjust this product change as smooth as possible without big influence on delivery times and general functions.

For further questions please contact your sales office directly. All contacts for sales representatives are available here: www.weidmueller.com/contact

Best regards

Product Management

Weidmüller – Your partner in Industrial Connectivity

We look forward to sharing ideas with you – **Let's connect.**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16, 32758 Detmold, Germany