

Page 1 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Ink

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Page 2 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

32758 Detmold

Deutschland

Tel.: +49 5231 14-0

Fax: +49 5231 14-292083

E-Mail: info@weidmueller.de

Homepage: www.weidmueller.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

IRL

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.:

+353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week)

+353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

Hazard class	Hazard category	Hazard statement
Eye Irrit.	2	H319-Causes serious eye irritation.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Warning

Page 3 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

H319-Causes serious eye irritation.

P280-Wear eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313-If eye irritation persists: Get medical advice / attention.

EUH208-Contains Formaldehyde , 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

Propan-2-ol	
Registration number (REACH)	01-2119457558-25-XXXX
Index	603-117-00-0
EINECS, ELINCS, NLP, REACH-IT List-No.	200-661-7
CAS	67-63-0
content %	1-5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Reaction product of alkylaryl sulphonic acid and amine	
Registration number (REACH)	---
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	---
CAS	---
content %	1-5
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Skin Irrit. 2, H315 Eye Irrit. 2, H319
2-methylpropan-1-ol	
Registration number (REACH)	---
Index	603-108-00-1

Page 4 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

EINECS, ELINCS, NLP, REACH-IT List-No.	201-148-0
CAS	78-83-1
content %	<3
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 STOT SE 3, H336

2-dimethylaminoethanol	
Registration number (REACH)	---
Index	603-047-00-0
EINECS, ELINCS, NLP, REACH-IT List-No.	203-542-8
CAS	108-01-0
content %	<1
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Flam. Liq. 3, H226 Acute Tox. 3, H331 Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Eye Dam. 1, H318
Specific Concentration Limits and ATE	STOT SE 3, H335: >=5 %

Methanol	Substance for which an EU exposure limit value applies.
Registration number (REACH)	01-2119433307-44-XXXX
Index	603-001-00-X
EINECS, ELINCS, NLP, REACH-IT List-No.	200-659-6
CAS	67-56-1
content %	<0,25
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370 (eyes, central nervous system)
Specific Concentration Limits and ATE	STOT SE 1, H370: >=10 % STOT SE 2, H371: >=3 % ATE (oral): 300 mg/kg

Formaldehyde	Substance for which an EU exposure limit value applies.
Registration number (REACH)	01-2119488953-20-XXXX
Index	605-001-00-5
EINECS, ELINCS, NLP, REACH-IT List-No.	200-001-8
CAS	50-00-0
content %	<0,1

Page 5 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Classification according to Regulation (EC) 1272/2008 (CLP), M-factors

Acute Tox. 3, H301
Acute Tox. 3, H311
Acute Tox. 3, H331
Skin Corr. 1B, H314
Eye Dam. 1, H318
Skin Sens. 1, H317
Muta. 2, H341
Carc. 1B, H350 (oral, as inhalation)

Specific Concentration Limits and ATE

Skin Corr. 1B, H314: $\geq 25\%$
Skin Irrit. 2, H315: $\geq 5\%$
Eye Irrit. 2, H319: $\geq 5\%$
Skin Sens. 1, H317: $\geq 0,2\%$
STOT SE 3, H335: $\geq 5\%$

1,2-benzisothiazol-3(2H)-one

Registration number (REACH)

Index

613-088-00-6

EINECS, ELINCS, NLP, REACH-IT List-No.

220-120-9

CAS

2634-33-5

content %

<0,05

Classification according to Regulation (EC) 1272/2008 (CLP), M-factors

Acute Tox. 4, H302
Skin Irrit. 2, H315
Eye Dam. 1, H318
Skin Sens. 1, H317
Aquatic Acute 1, H400 (M=10)

Specific Concentration Limits and ATE

Skin Sens. 1, H317: $\geq 0,05\%$

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Page 6 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Elementary aid

Decontamination

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water jet spray / alcohol resistant foam / CO₂ / dry extinguisher.

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Keep unprotected persons away.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

Page 7 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid aerosol formation.

Avoid inhalation of the vapours.

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Also seal emptied tanks and tanks in the process after they have been used.

Observe directions on label and instructions for use.

Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Only store at temperatures from 4°C to 25°C.

7.3 Specific end use(s)

No information available at present.

Observe the instructions for good working practice and the recommendations for risk assessment.

Consult hazardous substance information systems, e.g. from the professional associations, the chemical industry or different industries,

depending on the application (building materials, wood, chemistry, laboratory, leather, metal).

SECTION 8: Exposure controls/personal protection

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

8.1 Control parameters

Chemical Name	Propan-2-ol
WEL-TWA: 400 ppm (999 mg/m ³)	WEL-STEL: 500 ppm (1250 mg/m ³)
Monitoring procedures:	<ul style="list-style-type: none"> - Draeger - Alcohol 25/a i-Propanol (81 01 631) - Compur - KITA-122 SA(C) (549 277) - Compur - KITA-150 U (550 382) - DFG (D) (Lösungsmittelgemische), DFG (E) (Solvent mixtures 6) - 2013, 2002 - EU project BC/CEN/ENTR/000/2002-16 card 66-3 (2004) - NIOSH 1400 (ALCOHOLS I) - 1994 - NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996 - Draeger - Alcohol 100/a (CH 29 701)
BMGV: ---	Other information: ---

Chemical Name	Propan-2-ol
OELV-8h: 200 ppm	OELV-15min: 400 ppm
Monitoring procedures:	<ul style="list-style-type: none"> - Draeger - Alcohol 25/a i-Propanol (81 01 631) - Compur - KITA-122 SA(C) (549 277) - Compur - KITA-150 U (550 382) - DFG (D) (Lösungsmittelgemische), DFG (E) (Solvent mixtures 6) - 2013, 2002 - EU project BC/CEN/ENTR/000/2002-16 card 66-3 (2004) - NIOSH 1400 (ALCOHOLS I) - 1994 - NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996 - Draeger - Alcohol 100/a (CH 29 701)
BLV: 40 mg/l (acetone, U, d) (ACGIH-BEI)	Other information: Sk

Chemical Name	2-methylpropan-1-ol
WEL-TWA: 50 ppm (154 mg/m ³)	WEL-STEL: 75 ppm (231 mg/m ³)
Monitoring procedures:	<ul style="list-style-type: none"> - Compur - KITA-208 U (549 426) - NIOSH 1401 (ALCOHOLS II) - 1994 - NIOSH 1405 (ALCOHOLS COMBINED) - 2003 - Draeger - Alcohol 100/a (CH 29 701)
BMGV: ---	Other information: ---

Chemical Name	2-methylpropan-1-ol
OELV-8h: 50 ppm (150 mg/m ³)	OELV-15min: 75 ppm (225 mg/m ³)
Monitoring procedures:	<ul style="list-style-type: none"> - Compur - KITA-208 U (549 426) - NIOSH 1401 (ALCOHOLS II) - 1994 - NIOSH 1405 (ALCOHOLS COMBINED) - 2003 - Draeger - Alcohol 100/a (CH 29 701)
BLV: ---	Other information: ---

Chemical Name	2-dimethylaminoethanol
WEL-TWA: 2 ppm (7,4 mg/m ³)	WEL-STEL: 6 ppm (22 mg/m ³)
Monitoring procedures:	---
BMGV: ---	Other information: ---

Chemical Name	Methanol
---------------	----------

Page 9 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

WEL-TWA: 200 ppm (266 mg/m ³) (WEL), 200 ppm (260 mg/m ³) (EU)	WEL-STEL: 250 ppm (333 mg/m ³) (WEL)	---
Monitoring procedures:		
<ul style="list-style-type: none"> - Draeger - Alcohol 25/a Methanol (81 01 631) - Compur - KITA-119 SA (549 640) - Compur - KITA-119 U (549 657) - DFG Meth. Nr. 6 (D) (Lösungsmittelgemische 6), DFG (E) (Solvent mixtures 6) - 2013, 2002 - EU project BC/CEN/ENTR/000/2002-16 card 65-1 (2004) - NIOSH 2000 (METHANOL) - 1998 - NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996 - NIOSH 3800 (ORGANIC AND INORGANIC GASES BY EXTRACTIVE FTIR SPECTROMETRY) - 2016 - Draeger - Alcohol 100/a (CH 29 701) 		
BMGV: ---	Other information: Sk (WEL, EU)	

Chemical Name	Methanol	
OELV-8h: 200 ppm (260 mg/m ³) (OELV-8h, EU)	OELV-15min: ---	---
Monitoring procedures:		
<ul style="list-style-type: none"> - Draeger - Alcohol 25/a Methanol (81 01 631) - Compur - KITA-119 SA (549 640) - Compur - KITA-119 U (549 657) - DFG Meth. Nr. 6 (D) (Lösungsmittelgemische 6), DFG (E) (Solvent mixtures 6) - 2013, 2002 - EU project BC/CEN/ENTR/000/2002-16 card 65-1 (2004) - NIOSH 2000 (METHANOL) - 1998 - NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996 - NIOSH 3800 (ORGANIC AND INORGANIC GASES BY EXTRACTIVE FTIR SPECTROMETRY) - 2016 - Draeger - Alcohol 100/a (CH 29 701) 		
BLV: 15mg methanol/L urine (End of shift, B, Ns)	Other information: Sk (IOELV, EU)	

Chemical Name	Methanol	
OELV-8h: 200 ppm (260 mg/m ³) (OELV-8h, UE)	OELV-ST: ---	---
Monitoring procedures:		
<ul style="list-style-type: none"> - Draeger - Alcohol 25/a Methanol (81 01 631) - Compur - KITA-119 SA (549 640) - Compur - KITA-119 U (549 657) - DFG Meth. Nr. 6 (D) (Lösungsmittelgemische 6), DFG (E) (Solvent mixtures 6) - 2013, 2002 - EU project BC/CEN/ENTR/000/2002-16 card 65-1 (2004) - NIOSH 2000 (METHANOL) - 1998 - NIOSH 2549 (VOLATILE ORGANIC COMPOUNDS (SCREENING)) - 1996 - NIOSH 3800 (ORGANIC AND INORGANIC GASES BY EXTRACTIVE FTIR SPECTROMETRY) - 2016 - Draeger - Alcohol 100/a (CH 29 701) 		
BMGV: ---	Other information: Skin	

Chemical Name	Formaldehyde	
WEL-TWA: 2 ppm (2,5 mg/m ³) (WEL), 0,3 ppm (0,37 mg/m ³) (EU) (Limit value of 0,62 mg/m ³ or 0,5 ppm (8h) for the health care, funeral and embalming sectors until 11 July 2024. (EU))	WEL-STEL: 2 ppm (2,5 mg/m ³) (WEL), 0,6 ppm (0,74 mg/m ³) (EU)	---
Monitoring procedures:		
<ul style="list-style-type: none"> - Draeger - Activation tube for use in conjunction with Formaldehyde 0.2/a tube (81 01 141) 		

Page 10 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

- Draeger - Formaldehyde 0,2/a (67 33 081)
- Draeger - Formaldehyde 2/a (81 01 751)
- Compur - KITA-171 SA (554 616)
- Compur - KITA-171 SB (549 319)
- Compur - KITA-171 SC (509 859)
- DFG (D) (Aldehyde), DFG (E) (Aldehydes) - 1996, 2002
- NIOSH 2016 (FORMALDEHYDE) - 2016
- NIOSH 2539 (ALDEHYDES, SCREENING) - 1994
- NIOSH 2541 (FORMALDEHYDE by GC) - 1994
- NIOSH 3500 (FORMALDEHYDE by VIS) - 1994
- NIOSH 3800 (ORGANIC AND INORGANIC GASES BY EXTRACTIVE FTIR SPECTROMETRY) - 2016
- NIOSH 5700 (FORMALDEHYDE ON DUST (TEXTILE OR WOOD)) - 2016
- OSHA ID-205 (Formaldehyde in workplace atmospheres (3M model 3721 monitor)) - 1989 - EU project BC/CEN/ENTR/000/2002-16 card 57-5 (2004)

BMGV: ---

Other information: (14) (EU)

Chemical Name	Formaldehyde
OELV-8h: 0,3 ppm (0,37 mg/m3) (OELV-8h, EU) (Limit value of 0,62 mg/m3 or 0,5 ppm (8h) for the health care, funeral and embalming sectors until 11 July 2024. (OELV-8h, EU))	OELV-15min: 0,6 ppm (0,74 mg/m3) (OELV-15min, EU) ---
Monitoring procedures:	Draeger - Activation tube for use in conjunction with Formaldehyde 0.2/a tube (81 01 141) - Draeger - Formaldehyde 0,2/a (67 33 081) - Draeger - Formaldehyde 2/a (81 01 751) - Compur - KITA-171 SA (554 616) - Compur - KITA-171 SB (549 319) - Compur - KITA-171 SC (509 859) - DFG (D) (Aldehyde), DFG (E) (Aldehydes) - 1996, 2002 - NIOSH 2016 (FORMALDEHYDE) - 2016 - NIOSH 2539 (ALDEHYDES, SCREENING) - 1994 - NIOSH 2541 (FORMALDEHYDE by GC) - 1994 - NIOSH 3500 (FORMALDEHYDE by VIS) - 1994 - NIOSH 3800 (ORGANIC AND INORGANIC GASES BY EXTRACTIVE FTIR SPECTROMETRY) - 2016 - NIOSH 5700 (FORMALDEHYDE ON DUST (TEXTILE OR WOOD)) - 2016 - OSHA ID-205 (Formaldehyde in workplace atmospheres (3M model 3721 monitor)) - 1989 - EU project BC/CEN/ENTR/000/2002-16 card 57-5 (2004)
BLV: ---	Other information: BOELV, Carc1B, Sens (OELV) / (14) (EU)

Chemical Name	Formaldehyde
OELV-8h: 0,3 ppm (0,37 mg/m3) (UE) (Limit value of 0,62 mg/m3 or 0,5 ppm (8h) for the health care, funeral and embalming sectors until 11 July 2024. (UE))	OELV-ST: 0,6 ppm (0,74 mg/m3) (UE) ---
Monitoring procedures:	Draeger - Activation tube for use in conjunction with Formaldehyde 0.2/a tube (81 01 141) - (81 01 141)

Page 11 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

- Draeger - Formaldehyde 0,2/a (67 33 081)
- Draeger - Formaldehyde 2/a (81 01 751)
- Compur - KITA-171 SA (554 616)
- Compur - KITA-171 SB (549 319)
- Compur - KITA-171 SC (509 859)
- DFG (D) (Aldehyde), DFG (E) (Aldehydes) - 1996, 2002
- NIOSH 2016 (FORMALDEHYDE) - 2016
- NIOSH 2539 (ALDEHYDES, SCREENING) - 1994
- NIOSH 2541 (FORMALDEHYDE by GC) - 1994
- NIOSH 3500 (FORMALDEHYDE by VIS) - 1994
- NIOSH 3800 (ORGANIC AND INORGANIC GASES BY EXTRACTIVE FTIR SPECTROMETRY) - 2016
- NIOSH 5700 (FORMALDEHYDE ON DUST (TEXTILE OR WOOD)) - 2016
- OSHA ID-205 (Formaldehyde in workplace atmospheres (3M model 3721 monitor)) - 1989 - EU project BC/CEN/ENTR/000/2002-16 card 57-5 (2004)

BMGV: ---

Other information: (14) (UE)

Propan-2-ol

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	140,9	mg/l	
	Environment - marine		PNEC	140,9	mg/l	
	Environment - sediment, freshwater		PNEC	552	mg/kg dw	
	Environment - sediment, marine		PNEC	552	mg/kg dw	
	Environment - soil		PNEC	28	mg/kg dw	
	Environment - sewage treatment plant		PNEC	2251	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	140,9	mg/l	
	Environment - oral (animal feed)		PNEC	160	mg/kg feed	
Consumer	Human - dermal	Long term, systemic effects	DNEL	319	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	89	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	26	mg/kg bw/day	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	888	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	500	mg/m3	

Page 12 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

2-methylpropan-1-ol

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,4	mg/l	
	Environment - marine		PNEC	0,04	mg/l	
	Environment - sediment, freshwater		PNEC	1,52	mg/kg	
	Environment - sediment, marine		PNEC	0,152	mg/kg	
	Environment - sewage treatment plant		PNEC	10	mg/l	
	Environment - soil		PNEC	0,0699	mg/kg	
	Environment - water, sporadic (intermittent) release		PNEC	11	mg/l	
Consumer	Human - oral	Long term, local effects	DNEL	25	mg/m3	
Consumer	Human - oral	Long term, systemic effects	DNEL	25	mg/m3	
Consumer	Human - inhalation	Long term, local effects	DNEL	55	mg/m3	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	55	mg/m3	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	310	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	310	mg/m3	

2-dimethylaminoethanol

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,0661	mg/kg	
	Environment - sporadic (intermittent) release		PNEC	0,0529	mg/kg	
	Environment - marine		PNEC	0,004	mg/kg	
	Environment - soil		PNEC	0,01	mg/kg	
	Environment - sewage treatment plant		PNEC	10	mg/l	
	Environment - sediment, freshwater		PNEC	0,0529	mg/kg	
Workers / employees	Human - dermal	Short term, systemic effects	DNEL	1,2	mg/kg bw/day	

Page 13 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,25	mg/kg bw/day	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	13,53	mg/m3	
Workers / employees	Human - inhalation	Short term, systemic effects	DNEL	5,28	mg/m3	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	1,76	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	1,76	mg/m3	

Formaldehyde						
Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,44	mg/l	
	Environment - marine		PNEC	0,44	mg/l	
	Environment - water, sporadic (intermittent) release		PNEC	4,44	mg/l	
	Environment - sewage treatment plant		PNEC	0,19	mg/l	
	Environment - sediment, freshwater		PNEC	2,3	mg/kg dw	
	Environment - sediment, marine		PNEC	2,3	mg/kg dw	
	Environment - soil		PNEC	0,2	mg/kg dw	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	3,2	mg/m3	
Consumer	Human - inhalation	Long term, local effects	DNEL	0,1	mg/m3	
Consumer	Human - dermal	Long term, systemic effects	DNEL	102	mg/kg body weight/day	
Consumer	Human - dermal	Long term, local effects	DNEL	0,012	mg/cm2	
Consumer	Human - oral	Long term, systemic effects	DNEL	4,1	mg/kg body weight/day	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	9	mg/m3	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	0,375	mg/m3	
Workers / employees	Human - inhalation	Short term, local effects	DNEL	0,6	mg/m3	

Page 14 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Workers / employees	Human - dermal	Long term, systemic effects	DNEL	240	mg/kg body weight/day	
Workers / employees	Human - dermal	Long term, local effects	DNEL	0,037	mg/cm2	

1,2-benzisothiazol-3(2H)-one

Area of application	Exposure route / Environmental compartment	Effect on health	Descriptor	Value	Unit	Note
	Environment - freshwater		PNEC	0,00403	mg/l	
	Environment - marine		PNEC	0,000403	mg/l	
	Environment - sediment, freshwater		PNEC	0,0499	mg/kg dw	
	Environment - sediment, marine		PNEC	0,00499	mg/kg dw	
	Environment - soil		PNEC	3	mg/kg dw	
	Environment - sewage treatment plant		PNEC	1,03	mg/l	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	0,966	mg/kg bw/d	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	6,81	mg/m3	

Ⓒ WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

Ⓐ OELV-8h = Occupational Exposure Limit Value (8-hour reference period). (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). |

OELV-15min = Occupational Exposure Limit Value (15-minute reference period). (IFV) = Inhalable Fraction and Vapour. (I) =

Page 15 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000


Inhalable Fraction. (R) = Respirable Fraction.

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |

BLV = Biological limit value |

Other information: Carc1A, Carc1B = carcinogenic substance, Cat. 1A or 1B. Muta1A, Muta1B = mutagenic substance, Cat. 1A or 1B. Repr1A, Repr1B = Substances known to be toxic for reproduction, Cat. 1A or 1B. Sk = can be absorbed through skin. Asphx = asphyxiant. Sen = Respiratory sensitizer. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

 OELV-8h = Occupational Exposure Limit Value - 8 h (8-hour reference period as a time-weighted average)

[9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). |

OELV-ST = Occupational Exposure Limit Value - Short-term (15-minute reference period)

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU).

[8] = Short-term exposure limit value in relation to a reference period of 1 minute. (S.L.424.24), [9] = Inhalable fraction (S.L.424.24), [10] = Respirable fraction (S.L.424.24) |

BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) |

Other information: Skin = Possibility of a significant uptake through the skin.

[11] = When selecting an appropriate exposure monitoring method, account should be taken of potential limitations and interferences that may arise in the presence of other sulphur compounds. (S.L.424.24), [12] = The mist is defined as the thoracic fraction.

(S.L.424.24), [13] = Established in accordance with the Annex to Directive 91/322/EEC. (S.L.424.24), [14] = During exposure monitoring for mercury and its divalent inorganic compounds, account should be taken of relevant biological monitoring techniques that complement the OELV. (S.L.424.24).

(EU13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (EU14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Page 16 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

Recommended

Protective nitrile gloves (EN ISO 374).

Minimum layer thickness in mm:

$\geq 0,35$

Permeation time (penetration time) in minutes:

≥ 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working clothes with long arms

Respiratory protection:

If OES or MEL is exceeded.

Gas mask filter A (EN 14387), code colour brown

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of a glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:

Liquid

Colour:

Black

Odour:

Slightly

Page 17 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Odour threshold:

n.a.

Melting point/freezing point:

n.a.

Boiling point or initial boiling point and boiling range:

n.a.

Flammability:

Flammable

Lower explosion limit:

There is no information available on this parameter.

Upper explosion limit:

There is no information available on this parameter.

Flash point:

>60 °C (DIN 51755 (Abel-Pensky, closed cup))

Auto-ignition temperature:

n.a.

Decomposition temperature:

There is no information available on this parameter.

pH:

8,75-9,25 (20°C)

Kinematic viscosity:

6,2-8,2 mPas (25°C, DIN 53019, Dynamic viscosity)

Solubility:

There is no information available on this parameter.

Partition coefficient n-octanol/water (log value):

Does not apply to mixtures.

Vapour pressure:

n.a.

Density and/or relative density:

1,074-1,078 kg/l (20°C, DIN EN ISO 15212-1)

Relative vapour density:

There is no information available on this parameter.

Particle characteristics:

Does not apply to liquids.

9.2 Other information

Explosives:

There is no information available on this parameter.

Oxidising liquids:

There is no information available on this parameter.

Evaporation rate:

n.a.

Surface tension:

32-34 mN/m (20°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

Violent reaction with:

Alkali metals

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

Hazardous reactions will not occur during storage and handling under normal conditions.

10.4 Conditions to avoid

See also section 7.

Heating

10.5 Incompatible materials

See also section 7.

Alkali metals

Oxidizing agents

Reducing agent

10.6 Hazardous decomposition products

See also section 5.2

No decomposition when used as directed.

SECTION 11: Toxicological information

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by dermal route:	ATE	>2000	mg/kg			calculated value
Acute toxicity, by inhalation:	ATE	>20	mg/l/4h			Vapours, calculated value
Acute toxicity, by inhalation:	ATE	>5	mg/l/4h			Aerosol, calculated value
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Propan-2-ol

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	4570-5840	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	

Page 19 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Acute toxicity, by dermal route:	LD50	12800-13900	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	> 25	mg/l/6h	Rat	OECD 403 (Acute Inhalation Toxicity)	Vapours
Acute toxicity, by inhalation:	LC50	46600	mg/l/4h	Rat		Aerosol
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Irrit. 2
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Germ cell mutagenicity:					OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Germ cell mutagenicity:				Salmonella typhimurium	(Ames-Test)	Negative
Carcinogenicity:						Negative
Specific target organ toxicity - single exposure (STOT-SE):						STOT SE 3, H336, May cause drowsiness or dizziness.
Specific target organ toxicity - repeated exposure (STOT-RE):						Target organ(s): liver
Aspiration hazard:						No
Symptoms:						breathing difficulties, unconsciousness, vomiting, headaches, fatigue, dizziness, nausea, eyes, reddened, watering eyes

Page 20 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	900	mg/kg	Rat	OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)	
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEL	5000	ppm	Rat		Vapours (OECD 451)

2-methylpropan-1-ol						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	2460-3350	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	>18,8	mg/l/4h	Rat		
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Skin Irrit. 2
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Dam. 1
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact)
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Symptoms:						respiratory distress, drowsiness, unconsciousness, vomiting, coughing, headaches, drowsiness, mucous membrane irritation, dizziness, nausea

Page 21 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Specific target organ toxicity - single exposure (STOT-SE), inhalative:						Irritation of the respiratory tract, May cause drowsiness or dizziness.
---	--	--	--	--	--	---

2-dimethylaminoethanol

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	1182	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Acute toxicity, by dermal route:	LD50	1219	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	6	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Vapours, Acute Tox. 3
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Skin Corr. 1B
Serious eye damage/irritation:				Rabbit		Eye Dam. 1
Respiratory or skin sensitisation:				Guinea pig		Not sensitizing (Analogous conclusion)
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mammalian	OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAEL	24	mg/l	Rat		
Symptoms:						breathing difficulties, respiratory distress, coughing, cramps, mucous membrane irritation, trembling

Page 22 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Methanol

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	ATE	300	mg/kg	Human being		Experiences on persons.
Acute toxicity, by dermal route:	LD50	17100	mg/kg	Rabbit		Does not conform with EU classification.
Acute toxicity, by inhalation:	LC50	85	mg/l/4h	Rat		Not relevant for classification., Vapours
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Mild irritant
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitising
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Symptoms:						abdominal pain, vomiting, headaches, gastrointestinal disturbances, drowsiness, visual disturbances, watering eyes, nausea, mental confusion

Formaldehyde

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by dermal route:	LD50	270	mg/kg	Rabbit		
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Corrosive, Skin Corr. 1B
Respiratory or skin sensitisation:				Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay)	Skin Sens. 1

1,2-benzisothiazol-3(2H)-one

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	375	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	4115	mg/kg	Rat		

Page 23 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Skin corrosion/irritation:				Rabbit		Skin Irrit. 2
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Dam. 1
Respiratory or skin sensitisation:				Guinea pig		Yes (skin contact)
Germ cell mutagenicity:				Salmonella typhimurium	OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:				Mouse	OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative
Germ cell mutagenicity:				Rat	OECD 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells In Vivo)	Negative
Germ cell mutagenicity:				Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative
Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAEL	150	mg/kg/d	Rat	OECD 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)	
Symptoms:						vomiting, headaches, gastrointestinal disturbances, nausea

11.2. Information on other hazards

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Page 24 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting properties:						Does not apply to mixtures.
Other information:						No other relevant information available on adverse effects on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to daphnia:							n.d.a.
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and degradability:							n.d.a.
12.3. Bioaccumulative potential:							n.d.a.
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT and vPvB assessment							n.d.a.
12.6. Endocrine disrupting properties:							Does not apply to mixtures.

Page 25 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

12.7. Other adverse effects:							No information available on other adverse effects on the environment.
------------------------------	--	--	--	--	--	--	---

Propan-2-ol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	>100	mg/l	Leuciscus idus		
12.1. Toxicity to fish:	LC50	96h	1400	mg/l	Lepomis macrochirus		
12.1. Toxicity to daphnia:	EC50	48h	2285	mg/l	Daphnia magna		
12.1. Toxicity to daphnia:	EC50	16d	141	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	>100	mg/l	Desmodesmus subspicatus		
12.2. Persistence and degradability:		21d	95	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.2. Persistence and degradability:			99,9	%		OECD 303 A (Simulation Test - Aerobic Sewage Treatment - Activated Sludge Units)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		0,05			OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method)	Slight
12.3. Bioaccumulative potential:	BCF		3,2				Low
12.4. Mobility in soil:	Koc		1,1				Expert judgement
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50		>1000	mg/l	activated sludge		
Toxicity to bacteria:	EC10	16h	1050	mg/l	Pseudomonas putida		
Other organisms:	IC50	3d	2104	mg/l	Lactuca sativa		
Other information:	ThOD		2,4	g/g			
Other information:	BOD5		53	%			
Other information:	COD		96	%			References

Page 26 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Other information:	COD		2,4	g/g			
Other information:	BOD		1171	mg/g			

2-methylpropan-1-ol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	1430	mg/l	Pimephales promelas		References
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	20	mg/l	Daphnia magna		
12.1. Toxicity to daphnia:	EC50	24h	583	mg/l	Daphnia magna	DIN 38412 T.11	
12.1. Toxicity to algae:	EC50	48h	1250	mg/l	Scenedesmus subspicatus		
12.2. Persistence and degradability:	DOC	28d	99	%		OECD 301 E (Ready Biodegradability - Modified OECD Screening Test)	Readily biodegradable
12.2. Persistence and degradability:		28d	100	%		OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test)	
12.2. Persistence and degradability:		28d	70-80	%		OECD 301 D (Ready Biodegradability - Closed Bottle Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		1			OECD 117 (Partition Coefficient (n-octanol/water) - HPLC method)	25°C
12.4. Mobility in soil:	Log Koc		0,47				calculated value
Other information:	COD		2600	mg/g			

2-dimethylaminoethanol							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	81	mg/l	Pimephales promelas	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	LC50	96h	146,6	mg/l	Leuciscus idus	DIN 38412 T.15	
12.1. Toxicity to daphnia:	EC50	48h	98,37	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	

Page 27 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TNTK INK C Art.-Nr. 1338680000

PJ ADV TNTK INK M Art.-Nr. 1338670000

PJ ADV TNTK INK Y Art.-Nr. 1338650000

PJ ADV TNTK INK K Art.-Nr. 1338690000

PJ ADV TNTK INK SET Art.-Nr. 1338720000

PJ PRO TNTK INK C Art.-Nr. 1027050000

PJ PRO TNTK INK M Art.-Nr. 1027060000

PJ PRO TNTK INK Y Art.-Nr. 1027070000

PJ PRO TNTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

12.1. Toxicity to algae:	EC50	72h	66,08	mg/l	Scenedesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	EC50	72h	34,5	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:		28d	>60	%		OECD 301 C (Ready Biodegradability - Modified MITI Test (I))	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		-0,55			OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method)	Not to be expected
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC20	30min	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

Methanol

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	15400	mg/l	Lepomis macrochirus		
12.1. Toxicity to daphnia:	EC50	48h	>10000	mg/l	Daphnia magna		
12.2. Persistence and degradability:		28d	99	%		OECD 301 D (Ready Biodegradability - Closed Bottle Test)	Readily biodegradable
12.3. Bioaccumulative potential:	BCF		28400		Chlorella vulgaris		

Formaldehyde

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	41	mg/l	Brachydanio rerio		

Page 28 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

12.1. Toxicity to daphnia:	EC50	48h	5,8	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	6,4	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	
12.1. Toxicity to algae:	EC50	72h	4,89	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:	DOC	28d	99	%		OECD 301 A (Ready Biodegradability - DOC Die-Away Test)	Readily biodegradable
12.3. Bioaccumulative potential:	Log Pow		0,35				Bioaccumulation is unlikely (LogPow < 1).
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
Toxicity to bacteria:	EC50	3h	19	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

1,2-benzisothiazol-3(2H)-one

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	0,8-2,18	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	1,1-4,4	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
12.1. Toxicity to algae:	EC50	96h	0,055	mg/l	Pseudokirchneriella subcapitata		
12.1. Toxicity to algae:	ErC50	72h	0,11	mg/l	Pseudokirchneriella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	

Page 29 of 34
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 30.08.2023 / 0004
 Replacing version dated / version: 15.12.2020 / 0003
 Valid from: 30.08.2023
 PDF print date: 31.08.2023
 PJ ADV TNTK INK C Art.-Nr. 1338680000
 PJ ADV TNTK INK M Art.-Nr. 1338670000
 PJ ADV TNTK INK Y Art.-Nr. 1338650000
 PJ ADV TNTK INK K Art.-Nr. 1338690000
 PJ ADV TNTK INK SET Art.-Nr. 1338720000
 PJ PRO TTK INK C Art.-Nr. 1027050000
 PJ PRO TTK INK M Art.-Nr. 1027060000
 PJ PRO TTK INK Y Art.-Nr. 1027070000
 PJ PRO TTK INK K Art.-Nr. 1027040000
 PJ PRO TINTENSET FARBE Art.-Nr. 1027110000
 PJ CON INK SET Art.-Nr. 2715600000
 PJ CON INK C Art.-Nr. 2715610000
 PJ CON INK M Art.-Nr. 2715620000
 PJ CON INK Y Art.-Nr. 2715630000
 PJ CON INK K Art.-Nr. 2715640000

12.2. Persistence and degradability:						OECD 303 (Simulation Test - Aerobic Sewage Treatment)	Hardly biodegradable
12.3. Bioaccumulative potential:	Log Pow		1,11				A notable biological accumulation potential is not to be expected (LogPow 1-3).
Toxicity to bacteria:	EC50	16h	0,4	mg/l	Pseudomonas putida		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:
 The waste codes are recommendations based on the scheduled use of this product.
 Owing to the user's specific conditions for use and disposal, other waste codes may be
 allocated under certain circumstances. (2014/955/EU)
 08 03 12 waste ink containing hazardous substances
 Recommendation:
 Sewage disposal shall be discouraged.
 Pay attention to local and national official regulations.
 E.g. suitable incineration plant.
 E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.
 Empty container completely.
 Uncontaminated packaging can be recycled.
 Dispose of packaging that cannot be cleaned in the same manner as the substance.
 15 01 02 plastic packaging

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)

14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable

Page 30 of 34
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 30.08.2023 / 0004
 Replacing version dated / version: 15.12.2020 / 0003
 Valid from: 30.08.2023
 PDF print date: 31.08.2023
 PJ ADV TTK INK C Art.-Nr. 1338680000
 PJ ADV TTK INK M Art.-Nr. 1338670000
 PJ ADV TTK INK Y Art.-Nr. 1338650000
 PJ ADV TTK INK K Art.-Nr. 1338690000
 PJ ADV TTK INK SET Art.-Nr. 1338720000
 PJ PRO TTK INK C Art.-Nr. 1027050000
 PJ PRO TTK INK M Art.-Nr. 1027060000
 PJ PRO TTK INK Y Art.-Nr. 1027070000
 PJ PRO TTK INK K Art.-Nr. 1027040000
 PJ PRO TINTENSET FARBE Art.-Nr. 1027110000
 PJ CON INK SET Art.-Nr. 2715600000
 PJ CON INK C Art.-Nr. 2715610000
 PJ CON INK M Art.-Nr. 2715620000
 PJ CON INK Y Art.-Nr. 2715630000
 PJ CON INK K Art.-Nr. 2715640000

Tunnel restriction code:	Not applicable
Classification code:	Not applicable
LQ:	Not applicable
Transport category:	Not applicable

Transport by sea (IMDG-code)

14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Marine Pollutant:	Not applicable
EmS:	Not applicable

Transport by air (IATA)

14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

Regulation (EC) No 1907/2006, Annex XVII

Methanol

Formaldehyde

Comply with trade association/occupational health regulations.

Directive 2012/18/EU ("Seveso III"), Annex I, Part 2 - This product contains the substances listed below:

Entry Nr	Dangerous substances	Notes to Annex I	Qualifying quantity (tonnes) for the application of - Lower-tier requirements	Qualifying quantity (tonnes) for the application of - Upper-tier requirements
22	Methanol		500	5000

The Notes to Annex 1 of Directive 2012/18/EU, in particular those named in the tables here and notes 1-6, must be taken into account when assigning categories and qualifying quantities.

Page 31 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

1 - 16

These details refer to the product as it is delivered.

Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Classification in accordance with regulation (EC) No. 1272/2008 (CLP)	Evaluation method used
Eye Irrit. 2, H319	Classification according to calculation procedure.

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H341 Suspected of causing genetic defects.

H370 Causes damage to organs.

H400 Very toxic to aquatic life.

H350 May cause cancer.

Eye Irrit. — Eye irritation

Flam. Liq. — Flammable liquid

STOT SE — Specific target organ toxicity - single exposure - narcotic effects

Skin Irrit. — Skin irritation

Eye Dam. — Serious eye damage

STOT SE — Specific target organ toxicity - single exposure - respiratory tract irritation

Acute Tox. — Acute toxicity - inhalation

Page 32 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

Acute Tox. — Acute toxicity - oral

Acute Tox. — Acute toxicity - dermal

Skin Corr. — Skin corrosion

STOT SE — Specific target organ toxicity - single exposure

Skin Sens. — Skin sensitization

Muta. — Germ cell mutagenicity

Carc. — Carcinogenicity

Aquatic Acute — Hazardous to the aquatic environment - acute

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EC) No 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

bw body weight

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

dw dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

Page 33 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)
 EC European Community
 ECHA European Chemicals Agency
 ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect
 EEC European Economic Community
 EINECS European Inventory of Existing Commercial Chemical Substances
 ELINCS European List of Notified Chemical Substances
 EN European Norms
 EPA United States Environmental Protection Agency (United States of America)
 ErCx, EpCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)
 etc. et cetera
 EU European Union
 EVAL Ethylene-vinyl alcohol copolymer
 Fax. Fax number
 gen. general
 GHS Globally Harmonized System of Classification and Labelling of Chemicals
 GWP Global warming potential
 Koc Adsorption coefficient of organic carbon in the soil
 Kow octanol-water partition coefficient
 IARC International Agency for Research on Cancer
 IATA International Air Transport Association
 IBC (Code) International Bulk Chemical (Code)
 IMDG-code International Maritime Code for Dangerous Goods
 incl. including, inclusive
 IUCLID International Uniform Chemical Information Database
 IUPAC International Union for Pure Applied Chemistry
 LC50 Lethal Concentration to 50 % of a test population
 LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
 Log Koc Logarithm of adsorption coefficient of organic carbon in the soil
 Log Kow, Log Pow Logarithm of octanol-water partition coefficient
 LQ Limited Quantities
 MARPOL International Convention for the Prevention of Marine Pollution from Ships
 n.a. not applicable
 n.av. not available
 n.c. not checked
 n.d.a. no data available
 NIOSH National Institute for Occupational Safety and Health (USA)
 NLP No-longer-Polymer
 NOEC, NOEL No Observed Effect Concentration/Level
 OECD Organisation for Economic Co-operation and Development
 org. organic
 OSHA Occupational Safety and Health Administration (USA)
 PBT persistent, bioaccumulative and toxic
 PE Polyethylene
 PNEC Predicted No Effect Concentration
 ppm parts per million
 PVC Polyvinylchloride

Page 34 of 34

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 30.08.2023 / 0004

Replacing version dated / version: 15.12.2020 / 0003

Valid from: 30.08.2023

PDF print date: 31.08.2023

PJ ADV TTK INK C Art.-Nr. 1338680000

PJ ADV TTK INK M Art.-Nr. 1338670000

PJ ADV TTK INK Y Art.-Nr. 1338650000

PJ ADV TTK INK K Art.-Nr. 1338690000

PJ ADV TTK INK SET Art.-Nr. 1338720000

PJ PRO TTK INK C Art.-Nr. 1027050000

PJ PRO TTK INK M Art.-Nr. 1027060000

PJ PRO TTK INK Y Art.-Nr. 1027070000

PJ PRO TTK INK K Art.-Nr. 1027040000

PJ PRO TINTENSET FARBE Art.-Nr. 1027110000

PJ CON INK SET Art.-Nr. 2715600000

PJ CON INK C Art.-Nr. 2715610000

PJ CON INK M Art.-Nr. 2715620000

PJ CON INK Y Art.-Nr. 2715630000

PJ CON INK K Art.-Nr. 2715640000

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

TOC Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.