

## Changeover of the locking hook for the solder flange pin of the S2C-SMT 3.50 and S2L-SMT 3.50

Dear Madam or Sir,

Product adaptations serve the purpose of continuous product and/or process improvement. The listed products are delivered in a modified version. Please pass this product information on to your employees and, if needed, to your customers.

### 1. General Overview

Type of notification: ☒ PCN ☐ PDN ☒ Short-term action


#### Short-term action due to:


- |   |   |
|---|---|
| <input type="checkbox"/> Software / Firmware Bugfix                           | <input type="checkbox"/> Short term delivery stop by supplier |
| <input type="checkbox"/> Short term recall by supplier                        | <input type="checkbox"/> Force majeure                        |
| <input checked="" type="checkbox"/> Product improvement with customer benefit | <input type="checkbox"/> other                                |

### 2. Technical changes

The geometry of the locking hook for fixing the solder flange pin of the S2C-SMT 3.50 and S2L-SMT 3.50 has been optimized. The new shape ensures a stable and locked hold of the solder flange pin. Furthermore, the new geometry is designed to be more robust against external forces.

#### Old locking hook for the soldering flange pin



**New locking hook for the soldering flange pin**

---

**3. Availability**

---

This letter is to inform you that the change will be implemented in production as of July 2023. There will be no stock adjustment. Therefore, within a delivery from this date, mixing of the variants may occur, but not in one packaging unit.

---

**4. Affected parts**

---

A list of the affected articles can be found in the appendix.

---

**5. Data**

---

Except for the geometry of the locking hooks of the solder flange pins, all technical data and functional features remain unaffected by this measure.

Detailed information on the technical data can be found for the individual products in the online catalog.

---

We are very sorry for all the inconveniences caused and doing everything to adjust this product change as smooth as possible without big influence on delivery times and general functions.

For further questions please contact your sales office directly. All contacts for sales representatives are available here:  
<http://www.weidmueller.com/contact>

Best regards

**Product Management**

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26 | 32758 Detmold | Germany

[www.weidmueller.com](http://www.weidmueller.com)