

BLZF 3.50/180 - Modification outer contour

Dear Madam or Sir,

Product adaptations serve the purpose of continuous product and/or process improvement. Please pass this product information on to your employees and, if needed, to your customers

1. Technical Change

Due to a design adjustment, the BLZF 3.50/180 will be delivered with a modified housing in future



2. Availability

The changes will be incorporated into current production from Q2/2022 on. From this point on, the variants may be mixed within a delivery, but not in one VPE.

3. Betroffene Artikel

A list of the affected articles below please find attached. The partnumber will not be changed.

4. Daten

All technical data remain unaffected by this measure.
Detailed information on the technical data can be found for the individual products in the online catalogue.

We are very sorry for all the inconveniences caused and doing everything to adjust this product change as smooth as possible without big influence on delivery times and general functions.

For further questions please contact your sales office directly. All contacts for sales representatives are available here: www.weidmueller.com/contact

Best regards

Product Management

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 16, 32758 Detmold, Germany

Weidmüller – Your partner in Industrial Connectivity
We look forward to sharing ideas with you – **Let's connect.**

Material	Materialkurztext	Material	Materialkurztext
1690420000	BLZF 3.50/02/180 SN BK BX	1868510000	BLZF 3.50/06/180 AU OR BX
1690650000	BLZF 3.50/02/180 SN DKGX BX	1690460000	BLZF 3.50/06/180 SN BK BX
1690190000	BLZF 3.50/02/180 SN OR BX	1690690000	BLZF 3.50/06/180 SN DKGX BX
1162340000	BLZF 3.50/02/180 SN OR BX PRT	1690230000	BLZF 3.50/06/180 SN OR BX
1417130000	BLZF 3.50/02/180 SN OR BX PRT	1389770000	BLZF 3.50/06/180 SN OR BX PRT
1861470000	BLZF 3.50/02/180 SN OR BX PRT	1879790000	BLZF 3.50/06/180 SN OR BX PRT
2001790000	BLZF 3.50/02/180 SN OR BX PRT	1117540000	BLZF 3.50/06/180 SN TGY BX PRT
2001880000	BLZF 3.50/02/180 SN OR BX PRT	1690470000	BLZF 3.50/07/180 SN BK BX
2455450000	BLZF 3.50/02/180 SN OR BX PRT	1690240000	BLZF 3.50/07/180 SN OR BX
1117610000	BLZF 3.50/02/180 SN TGY BX PRT	1868520000	BLZF 3.50/08/180 AU OR BX
1690430000	BLZF 3.50/03/180 SN BK BX	1690480000	BLZF 3.50/08/180 SN BK BX
1509970000	BLZF 3.50/03/180 SN BK BX CO	1690480099	BLZF 3.50/08/180 SN BK BX
1327570000	BLZF 3.50/03/180 SN BK BX PRT	1327550000	BLZF 3.50/08/180 SN BK BX PRT
1509940000	BLZF 3.50/03/180 SN BL BX CO	2491240000	BLZF 3.50/08/180 SN BK BX PRT
1690660000	BLZF 3.50/03/180 SN DKGX BX	2491250000	BLZF 3.50/08/180 SN BK BX PRT
1509980000	BLZF 3.50/03/180 SN DKGX BX CO	1690710000	BLZF 3.50/08/180 SN DKGX BX
1690200000	BLZF 3.50/03/180 SN OR BX	1690250000	BLZF 3.50/08/180 SN OR BX
1509990000	BLZF 3.50/03/180 SN OR BX CO	1861480000	BLZF 3.50/08/180 SN OR BX PRT
1861460000	BLZF 3.50/03/180 SN OR BX PRT	1879800000	BLZF 3.50/08/180 SN OR BX PRT
1879770000	BLZF 3.50/03/180 SN OR BX PRT	1690490000	BLZF 3.50/09/180 SN BK BX
1509930000	BLZF 3.50/03/180 SN RD BX CO	1690490099	BLZF 3.50/09/180 SN BK BX
1905160000	BLZF 3.50/04/180 AU BK BX	1690260000	BLZF 3.50/09/180 SN OR BX
1868500000	BLZF 3.50/04/180 AU OR BX	1117600000	BLZF 3.50/09/180 SN TGY BX PRT
1690440000	BLZF 3.50/04/180 SN BK BX	2599450000	BLZF 3.50/10/180 AU BK BX
1690440099	BLZF 3.50/04/180 SN BK BX	1690500000	BLZF 3.50/10/180 SN BK BX
1690670000	BLZF 3.50/04/180 SN DKGX BX	1690500099	BLZF 3.50/10/180 SN BK BX
1510020000	BLZF 3.50/04/180 SN LTGY BX CO	1384630000	BLZF 3.50/10/180 SN BK BX PRT
1690210000	BLZF 3.50/04/180 SN OR BX	1690730000	BLZF 3.50/10/180 SN DKGX BX
1383120000	BLZF 3.50/04/180 SN OR BX PRT	1690270000	BLZF 3.50/10/180 SN OR BX
1879780000	BLZF 3.50/04/180 SN OR BX PRT	1389780000	BLZF 3.50/10/180 SN OR BX PRT
1117570000	BLZF 3.50/04/180 SN TGY BX PRT	1879810000	BLZF 3.50/10/180 SN OR BX PRT
1510000000	BLZF 3.50/04/180 SN YL BX CO	1117590000	BLZF 3.50/10/180 SN TGY BX PRT
1690450000	BLZF 3.50/05/180 SN BK BX	1690510000	BLZF 3.50/11/180 SN BK BX
1690450099	BLZF 3.50/05/180 SN BK BX	1690280000	BLZF 3.50/11/180 SN OR BX
2034500000	BLZF 3.50/05/180 SN BK BX PRT	1117580000	BLZF 3.50/11/180 SN TGY BX PRT
1690220000	BLZF 3.50/05/180 SN OR BX	1690520000	BLZF 3.50/12/180 SN BK BX
1370320000	BLZF 3.50/05/180 SN OR BX PRT	1690520099	BLZF 3.50/12/180 SN BK BX
1389750000	BLZF 3.50/05/180 SN OR BX PRT	1816500000	BLZF 3.50/12/180 SN BK BX PRT
1117550000	BLZF 3.50/05/180 SN TGY BX PRT	1690290000	BLZF 3.50/12/180 SN OR BX

1117560000	BLZF 3.50/05/180 SN TGY BX PRT	1389790000	BLZF 3.50/12/180 SN OR BX PRT
Material	Materialkurztext	Material	Materialkurztext
1879820000	BLZF 3.50/12/180 SN OR BX PRT	1515270000	BLZF 3.50/03/180F SN BK BX SO
1690530000	BLZF 3.50/13/180 SN BK BX	1690890000	BLZF 3.50/03/180F SN OR BX
1690300000	BLZF 3.50/13/180 SN OR BX	1691810000	BLZF 3.50/03/180LH SN BK BX
1690540000	BLZF 3.50/14/180 SN BK BX	1141550000	BLZF 3.50/03/180LH SN BK BX PRT
1690770000	BLZF 3.50/14/180 SN DKGN BX	1172490000	BLZF 3.50/03/180LH SN BK BX SO
1690310000	BLZF 3.50/14/180 SN OR BX	1309350000	BLZF 3.50/03/180LH SN BK BX SO
7690000518	BLZF 3.50/14/180 SN OR BX PRT	1691580000	BLZF 3.50/03/180LH SN OR BX
1690550000	BLZF 3.50/15/180 SN BK BX	1266340000	BLZF 3.50/03/180LH SN OR BX PRT
1327540000	BLZF 3.50/15/180 SN BK BX PRT	2442120000	BLZF 3.50/03/180LR SN BK BX
1690320000	BLZF 3.50/15/180 SN OR BX	1531220000	BLZF 3.50/03/180LR SN OR BX
1861490000	BLZF 3.50/15/180 SN OR BX PRT	1037430000	BLZF 3.50/04/180F AU OR BX
1690560000	BLZF 3.50/16/180 SN BK BX	1691130000	BLZF 3.50/04/180F SN BK BX
1690330000	BLZF 3.50/16/180 SN OR BX	1047840000	BLZF 3.50/04/180F SN BK BX PRT
1861500000	BLZF 3.50/16/180 SN OR BX PRT	1866280000	BLZF 3.50/04/180F SN BK BX PRT
1690340000	BLZF 3.50/17/180 SN OR BX	1690900000	BLZF 3.50/04/180F SN OR BX
1690580000	BLZF 3.50/18/180 SN BK BX	1691820000	BLZF 3.50/04/180LH SN BK BX
1814180000	BLZF 3.50/18/180 SN BK BX PRT	1141560000	BLZF 3.50/04/180LH SN BK BX PRT
2491210000	BLZF 3.50/18/180 SN BK BX PRT	1691590000	BLZF 3.50/04/180LH SN OR BX
2491260000	BLZF 3.50/18/180 SN BK BX PRT	1141570000	BLZF 3.50/04/180LH SN YL BX PRT
1690350000	BLZF 3.50/18/180 SN OR BX	1531230000	BLZF 3.50/04/180LR SN OR BX
1690360000	BLZF 3.50/19/180 SN OR BX	1691140000	BLZF 3.50/05/180F SN BK BX
1690370000	BLZF 3.50/20/180 SN OR BX	1690910000	BLZF 3.50/05/180F SN OR BX
1861450000	BLZF 3.50/20/180 SN OR BX PRT	1691830000	BLZF 3.50/05/180LH SN BK BX
1690380000	BLZF 3.50/21/180 SN OR BX	1691600000	BLZF 3.50/05/180LH SN OR BX
1690390000	BLZF 3.50/22/180 SN OR BX	1531250000	BLZF 3.50/05/180LR SN OR BX
1690630000	BLZF 3.50/23/180 SN BK BX	1032010000	BLZF 3.50/06/180F AU OR BX
1690400000	BLZF 3.50/23/180 SN OR BX	1691150000	BLZF 3.50/06/180F SN BK BX
1690640000	BLZF 3.50/24/180 SN BK BX	1047850000	BLZF 3.50/06/180F SN BK BX PRT
1690410000	BLZF 3.50/24/180 SN OR BX	1029690000	BLZF 3.50/06/180F SN DKGY BX PRT
1394780000	BLZF 3.50/02/180F AU RD BX PRT	1690920000	BLZF 3.50/06/180F SN OR BX
1691110000	BLZF 3.50/02/180F SN BK BX	1691840000	BLZF 3.50/06/180LH SN BK BX
1690880000	BLZF 3.50/02/180F SN OR BX	1691610000	BLZF 3.50/06/180LH SN OR BX
1691800000	BLZF 3.50/02/180LH SN BK BX	1531270000	BLZF 3.50/06/180LR SN OR BX
1044430000	BLZF 3.50/02/180LH SN BK BX SO	1691160000	BLZF 3.50/07/180F SN BK BX
1218360000	BLZF 3.50/02/180LH SN BK BX SO	1690930000	BLZF 3.50/07/180F SN OR BX
1691570000	BLZF 3.50/02/180LH SN OR BX	2500720000	BLZF 3.50/07/180F SN OR BX SO
1531210000	BLZF 3.50/02/180LR SN OR BX	2500730000	BLZF 3.50/07/180F SN OR BX SO
1029710000	BLZF 3.50/03/180F AU OR BX	2500740000	BLZF 3.50/07/180F SN OR BX SO
1691120000	BLZF 3.50/03/180F SN BK BX	2500750000	BLZF 3.50/07/180F SN OR BX SO

2497080000	BLZF 3.50/03/180F SN BK BX PRT	1691620000	BLZF 3.50/07/180LH SN OR BX
Material	Materialkurztext	Material	Materialkurztext
1531290000	BLZF 3.50/07/180LR SN OR BX	1816520000	BLZF 3.50/12/180LH SN BK BX PRT
1032020000	BLZF 3.50/08/180F AU OR BX	1516000000	BLZF 3.50/12/180LH SN BK BX SO
1691170000	BLZF 3.50/08/180F SN BK BX	1767541001	BLZF 3.50/12/180LH SN DKG BX PRT
1003270000	BLZF 3.50/08/180F SN DGR PRT	1691670000	BLZF 3.50/12/180LH SN OR BX
1690940000	BLZF 3.50/08/180F SN OR BX	1784101001	BLZF 3.50/12/180LH SN OR BX PRT
1063340000	BLZF 3.50/08/180F SN SW PRT	1822500000	BLZF 3.50/12/180LH SN OR BX SO
1691860000	BLZF 3.50/08/180LH SN BK BX	1822510000	BLZF 3.50/12/180LH SN OR BX SO
1189120000	BLZF 3.50/08/180LH SN BK BX SO	1531340000	BLZF 3.50/12/180LR SN OR BX
1804350000	BLZF 3.50/08/180LH SN DKG BX PRT	1690990000	BLZF 3.50/13/180F SN OR BX
1691630000	BLZF 3.50/08/180LH SN OR BX	1531350000	BLZF 3.50/13/180LR SN OR BX
1531300000	BLZF 3.50/08/180LR SN OR BX	1691230000	BLZF 3.50/14/180F SN BK BX
1691180000	BLZF 3.50/09/180F SN BK BX	1691000000	BLZF 3.50/14/180F SN OR BX
1690950000	BLZF 3.50/09/180F SN OR BX	1691690000	BLZF 3.50/14/180LH SN OR BX
1691640000	BLZF 3.50/09/180LH SN OR BX	1531360000	BLZF 3.50/14/180LR SN OR BX
1531310000	BLZF 3.50/09/180LR SN OR BX	1691240000	BLZF 3.50/15/180F SN BK BX
1029610000	BLZF 3.50/10/180F AU OR BX	1691010000	BLZF 3.50/15/180F SN OR BX
1691190000	BLZF 3.50/10/180F SN BK BX	1691930000	BLZF 3.50/15/180LH SN BK BX
1110380000	BLZF 3.50/10/180F SN BK BX PRT	1691700000	BLZF 3.50/15/180LH SN OR BX
1993650000	BLZF 3.50/10/180F SN BK BX PRT	1531370000	BLZF 3.50/15/180LR SN OR BX
1993660000	BLZF 3.50/10/180F SN BK BX PRT	1029620000	BLZF 3.50/16/180F AU OR BX
1993670000	BLZF 3.50/10/180F SN BK BX PRT	1691250000	BLZF 3.50/16/180F SN BK BX
1993680000	BLZF 3.50/10/180F SN BK BX PRT	1871670000	BLZF 3.50/16/180F SN DKG BX PRT
1052210000	BLZF 3.50/10/180F SN DKG BX PRT	1691020000	BLZF 3.50/16/180F SN OR BX
1114650000	BLZF 3.50/10/180F SN DKG BX SO	1691940000	BLZF 3.50/16/180LH SN BK BX
1114670000	BLZF 3.50/10/180F SN DKG BX SO	1691710000	BLZF 3.50/16/180LH SN OR BX
1690960000	BLZF 3.50/10/180F SN OR BX	1531380000	BLZF 3.50/16/180LR SN OR BX
1141590000	BLZF 3.50/10/180LH SN BK BX PRT	1691260000	BLZF 3.50/17/180F SN BK BX
1891430000	BLZF 3.50/10/180LH SN DKG BX PRT	1691030000	BLZF 3.50/17/180F SN OR BX
1691650000	BLZF 3.50/10/180LH SN OR BX	1691270000	BLZF 3.50/18/180F SN BK BX
1531320000	BLZF 3.50/10/180LR SN OR BX	1816490000	BLZF 3.50/18/180F SN BK BX PRT
1691200000	BLZF 3.50/11/180F SN BK BX	1856610000	BLZF 3.50/18/180F SN DKG BX PRT
1898350000	BLZF 3.50/11/180F SN DKG BX PRT	1691040000	BLZF 3.50/18/180F SN OR BX
1690970000	BLZF 3.50/11/180F SN OR BX	1691960000	BLZF 3.50/18/180LH SN BK BX
1531330000	BLZF 3.50/11/180LR SN OR BX	1816510000	BLZF 3.50/18/180LH SN BK BX PRT
1868490000	BLZF 3.50/12/180F AU OR BX	1888550000	BLZF 3.50/18/180LH SN BK BX PRT
1691210000	BLZF 3.50/12/180F SN BK BX	1044420000	BLZF 3.50/18/180LH SN BK BX SO
1814170000	BLZF 3.50/12/180F SN BK BX PRT	1157750000	BLZF 3.50/18/180LH SN BK BX SO
1836670000	BLZF 3.50/12/180F SN DKG BX PRT	1767551001	BLZF 3.50/18/180LH SN DKG BX PRT
1690980000	BLZF 3.50/12/180F SN OR BX	1691730000	BLZF 3.50/18/180LH SN OR BX

1691900000	BLZF 3.50/12/180LH SN BK BX	1691730901	BLZF 3.50/18/180LH SN OR BX PRT
Material	Materialkurztext		
1691050000	BLZF 3.50/19/180F SN OR BX		
1691970000	BLZF 3.50/19/180LH SN BK BX		
1691740000	BLZF 3.50/19/180LH SN OR BX		
1394740000	BLZF 3.50/20/180F AU BK BX PRT		
1691290000	BLZF 3.50/20/180F SN BK BX		
1691060000	BLZF 3.50/20/180F SN OR BX		
1691750000	BLZF 3.50/20/180LH SN OR BX		
1691300000	BLZF 3.50/21/180F SN BK BX		
1691070000	BLZF 3.50/21/180F SN OR BX		
1691080000	BLZF 3.50/22/180F SN OR BX		
1691320000	BLZF 3.50/23/180F SN BK BX		
1691090000	BLZF 3.50/23/180F SN OR BX		
1691330000	BLZF 3.50/24/180F SN BK BX		
1292270000	BLZF 3.50/24/180F SN BK BX PRT		
1691100000	BLZF 3.50/24/180F SN OR BX		
1692020000	BLZF 3.50/24/180LH SN BK BX		
1691790000	BLZF 3.50/24/180LH SN OR BX		