

Technical Change / Redesign BLF 3.50

Dear Medam or Sir,


The items listed below will be supplied in a modified version in future. All changes are made for reasons of product improvement. Please pass on this Product Change Notification (PCN) to your employees and, if applicable, to your customers.

1. Initial situation

The BLF 3.50 product family has a stripping length of 8 mm across the entire conductor cross-section range from 0.14 mm² to 1.50 mm².

2. Reason

Extension of the stripping lengths / AEH tube length for all conductor cross-sections up to 10 mm:



$L / L2 = \text{stripping length} / \text{AEH pipe length}$

3. Technical change

All other technical properties remain the same.

The previously communicated stripping length of 8 mm can also be used with the new version and fulfills all previous technical properties, but will be adapted in the technical data sheets.

In addition, the clamping area for 1.5 mm² with wire end ferrules (without plastic collar) can be used.

wire size mm²	recommended ferrule stripping lenght 8 mm		recommended ferrule stripping lenght 10 mm	
	type	part number	type	part number
0,25	H0,25/12 HBL	9025760000		
0,34	H0,34/12 TK	9025770000		
0,50	H0,5/14 OR	0690700000	H0,5/16 OR	9025870000
0,75	H0,75/14T HBL	9021040000	H0,75/16T HBL	9021050000
1,00	H1,0/14 GE	0643000000	H1,0/16 GE	9025950000
1,50			H1,5/10	0186500000

4. Availability

The adjustments will be made from Q2/ 2025.
Article numbers will remain the same.
No stock adjustment will be made. This can lead to mixing in a delivery, but not within a package.

5. Affected parts

The list of the affected articles is shown in the appendix.

We are very sorry for all the inconveniences caused and doing everything to adjust this product change as smooth as possible without big influence on delivery times and general functions.

For further questions please contact your sales office directly. All contacts for sales representatives are available here:
<http://www.weidmueller.com/contact>

Best regards

Product Management

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 | 32758 Detmold | Germany

www.weidmueller.com

Part list:

BLF 3.50/180

Artikelnummer	Bezeichnung		
2458950000	BLF 3.50/02/180 SN OR BX	2796570000	BLF 3.50/16/180 SN BK BX
2459060000	BLF 3.50/03/180 SN OR BX	2881880000	BLF 3.50/02/180 AU BK BX
2459070000	BLF 3.50/04/180 SN OR BX	2958580000	BLF 3.50/02/180 SN BK BX LRP
2459080000	BLF 3.50/05/180 SN OR BX	3101990000	BLF 3.50/02/180 SN BL BX
2459090000	BLF 3.50/06/180 SN OR BX	2933690000	BLF 3.50/02/180 SN GN BX
2459100000	BLF 3.50/07/180 SN OR BX	2935460000	BLF 3.50/02/180 SN OR BX LRP
2459110000	BLF 3.50/08/180 SN OR BX	2960110000	BLF 3.50/02/180 SN OR BX LRP
2459120000	BLF 3.50/09/180 SN OR BX	3027320000	BLF 3.50/02/180 SN OR BX LRP
2459130000	BLF 3.50/10/180 SN OR BX	2987590000	BLF 3.50/02/180 SN OR BX SO
2459140000	BLF 3.50/11/180 SN OR BX	2960050000	BLF 3.50/03/180 SN BK BX LRP
2459150000	BLF 3.50/12/180 SN OR BX	3035330000	BLF 3.50/03/180 SN GN BX
2459160000	BLF 3.50/13/180 SN OR BX	2960100000	BLF 3.50/03/180 SN OR BX LRP
2459170000	BLF 3.50/14/180 SN OR BX	2998830000	BLF 3.50/03/180 SN OR BX LRP
2459180000	BLF 3.50/15/180 SN OR BX	2799680000	BLF 3.50/03/180 SN OR BX SO
2459190000	BLF 3.50/16/180 SN OR BX	2938120000	BLF 3.50/04/180 AU OR BX
2459200000	BLF 3.50/17/180 SN OR BX	2958620000	BLF 3.50/04/180 SN BK BX LRP
2459210000	BLF 3.50/18/180 SN OR BX	2755000000	BLF 3.50/04/180 SN BK BX PRT
2459220000	BLF 3.50/19/180 SN OR BX	3102000000	BLF 3.50/04/180 SN BL BX
2459230000	BLF 3.50/20/180 SN OR BX	2814370000	BLF 3.50/04/180 SN BL BX SO
2459240000	BLF 3.50/21/180 SN OR BX	3102010000	BLF 3.50/04/180 SN GN BX
2459250000	BLF 3.50/22/180 SN OR BX	2814380000	BLF 3.50/04/180 SN LTGY BX SO
2459260000	BLF 3.50/23/180 SN OR BX	2960060000	BLF 3.50/04/180 SN OR BX LRP
2459270000	BLF 3.50/24/180 SN OR BX	2960140000	BLF 3.50/04/180 SN OR BX LRP
2459280000	BLF 3.50/02/180 SN BK BX	2755380000	BLF 3.50/04/180 SN OR BX PRT
2459290000	BLF 3.50/03/180 SN BK BX	2799770000	BLF 3.50/04/180 SN OR BX SO
2459300000	BLF 3.50/04/180 SN BK BX	2987600000	BLF 3.50/04/180 SN OR BX SO
2459310000	BLF 3.50/05/180 SN BK BX	2755430000	BLF 3.50/05/180 SN BK BX PRT
2459320000	BLF 3.50/06/180 SN BK BX	2958630000	BLF 3.50/05/180 SN BK BX SO
2459330000	BLF 3.50/07/180 SN BK BX	2958640000	BLF 3.50/05/180 SN BK BX SO
2459340000	BLF 3.50/08/180 SN BK BX	2984420000	BLF 3.50/05/180 SN OR BX LRP
2459350000	BLF 3.50/09/180 SN BK BX	2938130000	BLF 3.50/06/180 AU OR BX
2459360000	BLF 3.50/10/180 SN BKBX	2799640000	BLF 3.50/06/180 SN BK BX CO
2459370000	BLF 3.50/11/180 SN BK BX	2958650000	BLF 3.50/06/180 SN BK BX LRP
2459380000	BLF 3.50/12/180 SN BK BX	2759660000	BLF 3.50/06/180 SN BK BX SO
2537830000	BLF 3.50/13/180 SN BK BX	3102020000	BLF 3.50/06/180 SN BL BX

2752690000	BLF 3.50/14/180 SN BK BX	3102030000	BLF 3.50/06/180 SN GN BX
2960070000	BLF 3.50/06/180 SN OR BX LRP	2958600000	BLF 3.50/10/180 SN BK BX LRP
2799780000	BLF 3.50/06/180 SN OR BX SO	3102050000	BLF 3.50/10/180 SN BL BX
2987610000	BLF 3.50/06/180 SN OR BX SO	3102060000	BLF 3.50/10/180 SN GN BX
2935470000	BLF 3.50/07/180 SN OR BX LRP	2960090000	BLF 3.50/10/180 SN OR BX LRP
2938140000	BLF 3.50/08/180 AU OR BX	3035590000	BLF 3.50/10/180 SN OR BX LRP
2960080000	BLF 3.50/08/180 SN BK BX LRP	3035610000	BLF 3.50/10/180 SN OR BX LRP
3102040000	BLF 3.50/08/180 SN BL BX	2958610000	BLF 3.50/11/180 SN BK BX LRP
2814340000	BLF 3.50/08/180 SN BL BX SO	3035630000	BLF 3.50/11/180 SN OR BX LRP
2814350000	BLF 3.50/08/180 SN LTGY BX SO	2984430000	BLF 3.50/12/180 SN OR BX LRP
2960120000	BLF 3.50/08/180 SN OR BX LRP	2960040000	BLF 3.50/15/180 SN BK BX LRP
2813840000	BLF 3.50/08/180 SN RD BX SO	2960130000	BLF 3.50/15/180 SN OR BX LRP
2958590000	BLF 3.50/09/180 SN BK BX LRP	2717690000	BLF 3.50/16/180 SN BK BX SO
2777840000	BLF 3.50/10/180 AU BK BX		

BLF 3.50/180F

Artikelnummer	Bezeichnung	Artikelnummer	Bezeichnung
2459390000	BLF 3.50/02/180F SN OR BX	2537980000	BLF 3.50/17/180F SN BK BX
2459400000	BLF 3.50/03/180F SN OR BX	2537990000	BLF 3.50/18/180F SN BK BX
2459410000	BLF 3.50/04/180F SN OR BX	2538000000	BLF 3.50/24/180F SN BK BX
2459420000	BLF 3.50/05/180F SN OR BX	3053710000	BLF 3.50/08/180F SN BK BX LRP
2459430000	BLF 3.50/06/180F SN OR BX	3053720000	BLF 3.50/04/180F SN BK BX LRP
2459440000	BLF 3.50/07/180F SN OR BX	2624970000	BLF 3.50/10/180F SN BK BX SO
2459450000	BLF 3.50/08/180F SN OR BX	2630830000	BLF 3.50/02/180F SN BK BX SO
2459460000	BLF 3.50/09/180F SN OR BX	2630860000	BLF 3.50/03/180F SN BK BX SO
2459470000	BLF 3.50/10/180F SN OR BX	2897160000	BLF 3.50/16/180F SN DKGX BX LRP
2459480000	BLF 3.50/11/180F SN OR BX	2897170000	BLF 3.50/08/180F SN DKGX LRP
2459490000	BLF 3.50/12/180F SN OR BX	2897180000	BLF 3.50/06/180F SN DKGX BX LRP
2459500000	BLF 3.50/13/180F SN OR BX	2897190000	BLF 3.50/10/180F SN DKGX BX LRP
2459510000	BLF 3.50/14/180F SN OR BX	2897200000	BLF 3.50/10/180F SN DKGX BX SO
2459520000	BLF 3.50/15/180F SN OR BX	2897210000	BLF 3.50/03/180F SN BK BX SO
2459530000	BLF 3.50/16/180F SN OR BX	2897270000	BLF 3.50/11/180F SN DKGX BX LRP
2459540000	BLF 3.50/17/180F SN OR BX	2897280000	BLF 3.50/10/180F SN DKGX BX SO
2459550000	BLF 3.50/18/180F SN OR BX	2933760000	BLF 3.50/07/180F SN OR BX SO
2926500000	BLF 3.50/19/180F SN OR BX	2933770000	BLF 3.50/07/180F SN OR BX SO
2925430000	BLF 3.50/20/180F SN OR BX	2933780000	BLF 3.50/07/180F SN OR BX SO
2897220000	BLF 3.50/22/180F SN OR BX	2933790000	BLF 3.50/07/180F SN OR BX SO
2459560000	BLF 3.50/24/180F SN OR BX	2935480000	BLF 3.50/24/180F SN BK BX LRP
2459570000	BLF 3.50/02/180F SN BK BX	2956340000	BLF 3.50/12/180F SN BK BX LRP
2459580000	BLF 3.50/03/180F SN BK BX	2956350000	BLF 3.50/18/180F SN BK BX LRP
2459590000	BLF 3.50/04/180F SN BK BX	2958530000	BLF 3.50/10/180F SN BK BX LRP
2459600000	BLF 3.50/05/180F SN BK BX	2958540000	BLF 3.50/10/180F SN BK BX LRP
2459610000	BLF 3.50/06/180F SN BK BX	2958550000	BLF 3.50/10/180F SN BK BX LRP
2459620000	BLF 3.50/07/180F SN BK BX	2958560000	BLF 3.50/10/180F SN BK BX LRP
2459630000	BLF 3.50/08/180F SN BK BX	2960030000	BLF 3.50/10/180F SN BK BX LRP
2459640000	BLF 3.50/09/180F SN BK BX	2973650000	BLF 3.50/03/180F SN BK BX LRP
2459650000	BLF 3.50/10/180F SN BK BX	2978620000	BLF 3.50/02/180F AU RD BX LRP
2459660000	BLF 3.50/11/180F SN BK BX	2978630000	BLF 3.50/20/180F AU BK BX LRP
2459670000	BLF 3.50/12/180F SN BK BX	2981940000	BLF 3.50/02/180F SN BK BX LRP
2537870000	BLF 3.50/13/180F SN BK BX	3027330000	BLF 3.50/04/180F SN BK BX SO
2537950000	BLF 3.50/14/180F SN BK BX	3027340000	BLF 3.50/06/180F SN BK BX SO
2537960000	BLF 3.50/15/180F SN BK BX	3108240000	BLF 3.50/10/180F SN BK BX SO
2537970000	BLF 3.50/16/180F SN BK BX	3109800000	BLF 3.50/10/180F SN BK BX SO

BLF 3.50/180LR

Artikelnummer	Bezeichnung	Artikelnummer	Bezeichnung
2459680000	BLF 3.50/02/180LR SN OR BX	2459950000	BLF 3.50/02/180LH SN OR BX
2459690000	BLF 3.50/03/180LR SN OR BX	2459960000	BLF 3.50/03/180LH SN OR BX
2459700000	BLF 3.50/04/180LR SN OR BX	2459970000	BLF 3.50/04/180LH SN OR BX
2459710000	BLF 3.50/05/180LR SN OR BX	2459980000	BLF 3.50/05/180LH SN OR BX
2459720000	BLF 3.50/06/180LR SN OR BX	2459990000	BLF 3.50/06/180LH SN OR BX
2459730000	BLF 3.50/07/180LR SN OR BX	2460000000	BLF 3.50/07/180LH SN OR BX
2459740000	BLF 3.50/08/180LR SN OR BX	2460010000	BLF 3.50/08/180LH SN OR BX
2459750000	BLF 3.50/09/180LR SN OR BX	2460020000	BLF 3.50/09/180LH SN OR BX
2459760000	BLF 3.50/10/180LR SN OR BX	2460030000	BLF 3.50/10/180LH SN OR BX
2459770000	BLF 3.50/11/180LR SN OR BX	2460040000	BLF 3.50/11/180LH SN OR BX
2459780000	BLF 3.50/12/180LR SN OR BX	2460050000	BLF 3.50/12/180LH SN OR BX
2459790000	BLF 3.50/13/180LR SN OR BX	2460060000	BLF 3.50/13/180LH SN OR BX
2459800000	BLF 3.50/14/180LR SN OR BX	2460070000	BLF 3.50/14/180LH SN OR BX
2459810000	BLF 3.50/15/180LR SN OR BX	2460080000	BLF 3.50/15/180LH SN OR BX
2459820000	BLF 3.50/16/180LR SN OR BX	2460090000	BLF 3.50/16/180LH SN OR BX
2538260000	BLF 3.50/17/180LR SN OR BX		
2538270000	BLF 3.50/18/180LR SN OR BX		
2459830000	BLF 3.50/24/180LR SN OR BX		
2459840000	BLF 3.50/02/180LR SN BK BX		
2459850000	BLF 3.50/03/180LR SN BK BX		
2459860000	BLF 3.50/04/180LR SN BK BX		
2459870000	BLF 3.50/05/180LR SN BK BX		
2459880000	BLF 3.50/06/180LR SN BK BX		
2459890000	BLF 3.50/07/180LR SN BK BX		
2459900000	BLF 3.50/08/180LR SN BK BX		
2459910000	BLF 3.50/09/180LR SN BK BX		
2459920000	BLF 3.50/10/180LR SN BK BX		
2459930000	BLF 3.50/11/180LR SN BK BX		
2459940000	BLF 3.50/12/180LR SN BK BX		
2538200000	BLF 3.50/13/180LR SN BK BX		
2538210000	BLF 3.50/14/180LR SN BK BX		
2538220000	BLF 3.50/15/180LR SN BK BX		
2538230000	BLF 3.50/16/180LR SN BK BX		
2538240000	BLF 3.50/17/180LR SN BK BX		
2538250000	BLF 3.50/18/180LR SN BK BX		

BLF 3.50/180LH

Artikelnummer	Bezeichnung	Artikelnummer	Bezeichnung
2459950000	BLF 3.50/02/180LH SN OR BX	2538110000	BLF 3.50/12/180LH SN BK BX
2459960000	BLF 3.50/03/180LH SN OR BX	2538120000	BLF 3.50/13/180LH SN BK BX
2459970000	BLF 3.50/04/180LH SN OR BX	2538130000	BLF 3.50/14/180LH SN BK BX
2459980000	BLF 3.50/05/180LH SN OR BX	2538140000	BLF 3.50/15/180LH SN BK BX
2459990000	BLF 3.50/06/180LH SN OR BX	2538150000	BLF 3.50/16/180LH SN BK BX
2460000000	BLF 3.50/07/180LH SN OR BX	2538160000	BLF 3.50/17/180LH SN BK BX
2460010000	BLF 3.50/08/180LH SN OR BX	2538170000	BLF 3.50/18/180LH SN BK BX
2460020000	BLF 3.50/09/180LH SN OR BX	2538180000	BLF 3.50/24/180LH SN BK BX
2460030000	BLF 3.50/10/180LH SN OR BX	2636790000	BLF 3.50/18/180LH SN BK BX SO
2460040000	BLF 3.50/11/180LH SN OR BX		
2460050000	BLF 3.50/12/180LH SN OR BX		
2460060000	BLF 3.50/13/180LH SN OR BX		
2460070000	BLF 3.50/14/180LH SN OR BX		
2460080000	BLF 3.50/15/180LH SN OR BX		
2460090000	BLF 3.50/16/180LH SN OR BX		
2460100000	BLF 3.50/17/180LH SN OR BX		
2460110000	BLF 3.50/18/180LH SN OR BX		
2538190000	BLF 3.50/24/180LH SN OR BX		
2537880000	BLF 3.50/02/180LH SN BK BX		
2538020000	BLF 3.50/03/180LH SN BK BX		
2538030000	BLF 3.50/04/180LH SN BK BX		
2538040000	BLF 3.50/05/180LH SN BK BX		
2538050000	BLF 3.50/06/180LH SN BK BX		
2538060000	BLF 3.50/07/180LH SN BK BX		
2538070000	BLF 3.50/08/180LH SN BK BX		
2538080000	BLF 3.50/09/180LH SN BK BX		
2538090000	BLF 3.50/10/180LH SN BK BX		
2538100000	BLF 3.50/11/180LH SN BK BX		

BLF 3.50/180(F)QV

Artikelnummer	Bezeichnung	Artikelnummer	Bezeichnung
2537890000	BLF 3.50/02/180QV SN BK BX	2537900000	BLF 3.50/02/180FQV SN BK BX
2460150000	BLF 3.50/02/180QV SN OR BX	2460160000	BLF 3.50/02/180FQV SN OR BX
2537940000	BLF 3.50/04/180QV SN BK BX	2538010000	BLF 3.50/04/180FQV SN BK BX
2460240000	BLF 3.50/04/180QV SN OR BX	2460250000	BLF 3.50/04/180FQV SN OR BX