

Page 1 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

## **Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)**

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product identifier**

**PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000**

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses of the substance or mixture:**

Cleaner

**Uses advised against:**

No information available at present.

#### **1.3 Details of the supplier of the safety data sheet**

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

32758 Detmold

Deutschland

Tel.: +49 5231 14-0

Fax: +49 5231 14-292083

E-Mail: [info@weidmueller.de](mailto:info@weidmueller.de)

Homepage: [www.weidmueller.de](http://www.weidmueller.de)

Qualified person's e-mail address: [info@chemical-check.de](mailto:info@chemical-check.de), [k.schnurbusch@chemical-check.de](mailto:k.schnurbusch@chemical-check.de) Please DO NOT use for requesting Safety Data Sheets.

#### **1.4 Emergency telephone number**

**Emergency information services / official advisory body:**

IRL

National Poisons Information Centre, Beaumont Hospital, Dublin 9, Ireland, Tel.:

+353 (0)1 809 2166 (Public Poisons Info Line, 8am-10pm, 7 days a week)

+353 (0)1 809 2566 (Info for Healthcare Professionals ONLY, 24 h, 7 days a week)

**Telephone number of the company in case of emergencies:**

+49 (0) 700 / 24 112 112 (WR)

### **SECTION 2: Hazards identification**

#### **2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) 1272/2008 (CLP)**

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

#### **2.2 Label elements**

**Labeling according to Regulation (EC) 1272/2008 (CLP)**

EUH210-Safety data sheet available on request.

## 2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

n.a.

### 3.2 Mixtures

|                                                                               |                       |
|-------------------------------------------------------------------------------|-----------------------|
| <b>1-phenoxypropan-2-ol</b>                                                   |                       |
| <b>Registration number (REACH)</b>                                            | 01-2119486566-23-XXXX |
| <b>Index</b>                                                                  | ---                   |
| <b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>                                 | 212-222-7             |
| <b>CAS</b>                                                                    | 770-35-4              |
| <b>content %</b>                                                              | 1-<10                 |
| <b>Classification according to Regulation (EC) 1272/2008 (CLP), M-factors</b> | Eye Irrit. 2, H319    |

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

The addition of the highest concentrations listed here can result in a classification. Only when this classification is listed in Section 2 does it apply. In all other cases the total concentration is below the classification.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

#### Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

#### Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

#### Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

#### Ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Give copious water to drink - consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Elementary aid

Page 3 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

Decontamination

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water jet spray / alcohol resistant foam / CO<sub>2</sub> / dry extinguisher.

#### Unsuitable extinguishing media

None known

### 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:

Oxides of carbon

Toxic gases

### 5.3 Advice for firefighters

For personal protective equipment see Section 8.

In case of fire and/or explosion do not breathe fumes.

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Keep unprotected persons away.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

#### 6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

### 6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

Fill the absorbed material into lockable containers.

### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

### 7.1 Precautions for safe handling

#### 7.1.1 General recommendations

Ensure good ventilation.

Avoid aerosol formation.

Avoid contact with eyes or skin.

Do not heat to temperatures close to flash point.

Page 4 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

Also seal emptied tanks and tanks in the process after they have been used.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

## 7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## 7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells.

Store at room temperature.

Recommended storage temperature:

4°C - 25°C

## 7.3 Specific end use(s)

No information available at present.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

| Chemical Name            | Glycerol               |     |  |
|--------------------------|------------------------|-----|--|
| WEL-TWA: 10 mg/m3 (mist) | WEL-STEL: ---          | --- |  |
| Monitoring procedures:   |                        | --- |  |
| BMGV: ---                | Other information: --- |     |  |

| 1-phenoxypropan-2-ol |                                            |                             |            |       |              |      |
|----------------------|--------------------------------------------|-----------------------------|------------|-------|--------------|------|
| Area of application  | Exposure route / Environmental compartment | Effect on health            | Descriptor | Value | Unit         | Note |
| Workers / employees  | Human - inhalation                         | Long term, systemic effects | DNEL       | 25,7  | mg/m3        |      |
| Workers / employees  | Human - dermal                             | Long term, systemic effects | DNEL       | 42    | mg/kg bw/day |      |

| Glycerol            |                                                      |                             |            |       |              |      |
|---------------------|------------------------------------------------------|-----------------------------|------------|-------|--------------|------|
| Area of application | Exposure route / Environmental compartment           | Effect on health            | Descriptor | Value | Unit         | Note |
|                     | Environment - freshwater                             |                             | PNEC       | 0,885 | mg/l         |      |
|                     | Environment - marine                                 |                             | PNEC       | 0,088 | mg/l         |      |
|                     | Environment - sewage treatment plant                 |                             | PNEC       | 1000  | mg/l         |      |
|                     | Environment - sediment, freshwater                   |                             | PNEC       | 3,3   | mg/kg dw     |      |
|                     | Environment - sediment, marine                       |                             | PNEC       | 0,33  | mg/kg dw     |      |
|                     | Environment - soil                                   |                             | PNEC       | 0,141 | mg/kg dw     |      |
|                     | Environment - water, sporadic (intermittent) release |                             | PNEC       | 8,85  | mg/l         |      |
| Consumer            | Human - inhalation                                   | Long term, local effects    | DNEL       | 33    | mg/m3        |      |
| Consumer            | Human - oral                                         | Long term, systemic effects | DNEL       | 229   | mg/kg bw/day |      |
| Workers / employees | Human - inhalation                                   | Long term, local effects    | DNEL       | 56    | mg/m3        |      |

Page 5 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

**GB** - United Kingdom | WEL-TWA = Workplace Exposure Limit - Long-term exposure limit - 8-hour TWA (= time weighted average) reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
(8) = Inhalable fraction (2004/37/CE, 2017/164/EU). (9) = Respirable fraction (2004/37/CE, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |  
| WEL-STEL = Workplace Exposure Limit - Short-term exposure limit - 15-minute reference period (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |  
| BMGV = Biological monitoring guidance value (EH40/2005 Workplace exposure limits (Fourth Edition 2020)).  
(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |  
| Other information (EH40/2005 Workplace exposure limits (Fourth Edition 2020)): Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.  
(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU or 2024/869/EU:  
(13) = The substance can cause sensitisation of the skin and of the respiratory tract (98/24/EC, 2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE), (15) = Substantial contribution to the total body burden via dermal exposure possible. |

**IRL** - Ireland/Éire | OELV-8h = Occupational Exposure Limit Value - 8-hour reference period (Code of Practice 2026, for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2026) and the Safety, Health and Welfare at Work (Carcinogens, Mutagens and Reprotoxic Substances) Regulations (2024 and 2026) (Health and Safety Authority)): (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.  
(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (11) = Inhalable fraction (2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (2004/37/CE). |  
| OELV-15min = Occupational Exposure Limit Value - 15-minute reference period (Code of Practice 2026, for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2026) and the Safety, Health and Welfare at Work (Carcinogens, Mutagens and Reprotoxic Substances) Regulations (2024 and 2026) (Health and Safety Authority)): (IFV) = Inhalable Fraction and Vapour. (I) = Inhalable Fraction. (R) = Respirable Fraction.  
(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU or 2019/1831/EU:  
(8) = Inhalable fraction (2004/37/EC, 2017/164/EU). (9) = Respirable fraction (2004/37/EC, 2017/164/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). |  
| BMGV = Biological Monitoring Guidance Value (Biological Monitoring Guidelines 2011, HSA (Health and Safety Authority)): ACGIH-BEI = BMGV have been sourced from Biological Exposure Indices (BEI) as issued by the American Conference of Governmental Industrial Hygienists (ACGIH). SCOEL = BMGV have been sourced from the Scientific Committee on Occupational Exposure Limit Values (SCOEL) which was set up by a Commission Decision (95/320/EC) with the mandate to advise the European Commission on occupational exposure limits for chemicals in the workplace. HSE = BMGV have been sourced from the Health and Safety Executive (HSE), UK.  
BBLV = Binding Biological Limit Value (Schedule 5 - Health Surveillance and Biological Limit Values, Code of Practice 2026 for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2026) and the Safety, Health and Welfare at Work (Carcinogens, Mutagens and Reprotoxic Substances) Regulations (2024-2026) (Health and Safety Authority)  
(EU) = Directive 98/24/EC or 2004/37/EC or SCOEL (Biological Limit Value - BLV, Recommendation from the Scientific Committee on Occupational Exposure Limits (SCOEL)) |  
| Other information (Chemical Agents and CMR CoP (Code of Practice) 2026, HSA (Health and Safety Authority)): CMR = Carcinogens, Mutagens and Reprotoxic substances. Skin = Can be absorbed through skin. Asphx = asphyxiant. Sens = The substance can cause sensitisation. BOELV = Binding Occupational Exposure Limit Values. IOELV = Indicative Occupational Exposure Limit Values.  
(EU) = Directive 91/322/EEC, 98/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, 2019/1831/EU or 2024/869/EU:  
(13) = The substance can cause sensitisation of the skin and of the respiratory tract (98/24/EC, 2004/37/CE), (14) = The substance can cause sensitisation of the skin (2004/37/CE), (15) = Substantial contribution to the total body burden via dermal exposure possible. |

## 8.2 Exposure controls

### 8.2.1 Appropriate engineering controls

Page 6 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

## 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

Tight fitting protective goggles with side protection (EN ISO 16321-1).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374).

Recommended

Protective nitrile gloves (EN ISO 374).

Minimum layer thickness in mm:

0,5

Permeation time (penetration time) in minutes:

480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.

The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:

Normally not necessary.

In aerosol misting:

Filter A P2 (EN 14387), code colour brown, white

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards:

Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

## 8.2.3 Environmental exposure controls

No information available at present.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state:

Liquid

Colour:

Colourless

Odour:

Odourless

Page 7 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

Odour threshold:

n.a.

Melting point/freezing point:

There is no information available on this parameter.

Boiling point or initial boiling point and boiling range:

There is no information available on this parameter.

Flammability:

There is no information available on this parameter.

Lower explosion limit:

There is no information available on this parameter.

Upper explosion limit:

There is no information available on this parameter.

Flash point:

>105 °C (ASTM D 7236 (Setaflash, RECC))

Auto-ignition temperature:

n.a.

Decomposition temperature:

There is no information available on this parameter.

pH:

10,3

Kinematic viscosity:

3,2 mPas (25°C, DIN 53019, Dynamic viscosity )

Solubility:

There is no information available on this parameter.

Partition coefficient n-octanol/water (log value):

Does not apply to mixtures.

Vapour pressure:

There is no information available on this parameter.

Density and/or relative density:

1,024 kg/l (20°C, DIN EN ISO 15212-1)

Relative vapour density:

There is no information available on this parameter.

Particle characteristics:

Does not apply to liquids.

## 9.2 Other information

Explosives:

Product is not explosive.

Oxidising liquids:

No

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Exothermic reaction possible with:

Oxidizing agents

Reducing agent

Alkali metals

### 10.2 Chemical stability

Stable with proper storage and handling.

### 10.3 Possibility of hazardous reactions

No dangerous reactions are known.

### 10.4 Conditions to avoid

Strong heat

### 10.5 Incompatible materials

Oxidizing agents

Reducing agent

Alkali metals

### 10.6 Hazardous decomposition products

No decomposition when used as directed.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

**PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000**

| Toxicity / effect                  | Endpoint | Value | Unit | Organism | Test method | Notes  |
|------------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route:     |          |       |      |          |             | n.d.a. |
| Acute toxicity, by dermal route:   |          |       |      |          |             | n.d.a. |
| Acute toxicity, by inhalation:     |          |       |      |          |             | n.d.a. |
| Skin corrosion/irritation:         |          |       |      |          |             | n.d.a. |
| Serious eye damage/irritation:     |          |       |      |          |             | n.d.a. |
| Respiratory or skin sensitisation: |          |       |      |          |             | n.d.a. |
| Germ cell mutagenicity:            |          |       |      |          |             | n.d.a. |
| Carcinogenicity:                   |          |       |      |          |             | n.d.a. |

Page 8 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

|                                                               |  |  |  |  |  |        |
|---------------------------------------------------------------|--|--|--|--|--|--------|
| Reproductive toxicity:                                        |  |  |  |  |  | n.d.a. |
| Specific target organ toxicity - single exposure (STOT-SE):   |  |  |  |  |  | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): |  |  |  |  |  | n.d.a. |
| Aspiration hazard:                                            |  |  |  |  |  | n.d.a. |
| Symptoms:                                                     |  |  |  |  |  | n.d.a. |

## 1-phenoxypropan-2ol

| Toxicity / effect                  | Endpoint | Value | Unit    | Organism   | Test method                                                   | Notes                      |
|------------------------------------|----------|-------|---------|------------|---------------------------------------------------------------|----------------------------|
| Acute toxicity, by oral route:     | LD50     | 2830  | mg/kg   | Rat        | OECD 401 (Acute Oral Toxicity)                                |                            |
| Acute toxicity, by dermal route:   | LD50     | >2000 | mg/kg   | Rabbit     | OECD 402 (Acute Dermal Toxicity)                              |                            |
| Acute toxicity, by inhalation:     | LC50     | >5,4  | mg/l/4h | Rat        | OECD 403 (Acute Inhalation Toxicity)                          | Aerosol                    |
| Skin corrosion/irritation:         |          |       |         | Rabbit     | OECD 404 (Acute Dermal Irritation/Corrosion)                  | Not irritant               |
| Serious eye damage/irritation:     |          |       |         | Rabbit     | Regulation (EC) 440/2008 B.5 (ACUTE EYE IRRITATION/CORROSION) | Irritant                   |
| Respiratory or skin sensitisation: |          |       |         | Guinea pig |                                                               | Not sensitizing            |
| Symptoms:                          |          |       |         |            |                                                               | mucous membrane irritation |

## Glycerol

| Toxicity / effect                                             | Endpoint | Value | Unit    | Organism               | Test method                                  | Notes                                                                                          |
|---------------------------------------------------------------|----------|-------|---------|------------------------|----------------------------------------------|------------------------------------------------------------------------------------------------|
| Acute toxicity, by oral route:                                | LD50     | >2000 | mg/kg   | Rat                    |                                              |                                                                                                |
| Acute toxicity, by dermal route:                              | LD50     | >5000 | mg/kg   | Rabbit                 | IUCLID Chem. Data Sheet (ESIS)               |                                                                                                |
| Skin corrosion/irritation:                                    |          |       |         | Rabbit                 | OECD 404 (Acute Dermal Irritation/Corrosion) | Not irritant                                                                                   |
| Serious eye damage/irritation:                                |          |       |         | Rabbit                 | OECD 405 (Acute Eye Irritation/Corrosion)    | Not irritant                                                                                   |
| Respiratory or skin sensitisation:                            |          |       |         | Guinea pig             |                                              | No (skin contact)                                                                              |
| Germ cell mutagenicity:                                       |          |       |         | Salmonella typhimurium | OECD 471 (Bacterial Reverse Mutation Test)   | Negative                                                                                       |
| Reproductive toxicity:                                        | NOAEL    | 2000  | mg/kg/d |                        |                                              | Negative                                                                                       |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAEL    | 3,91  | mg/l    | Rat                    |                                              | (14d)                                                                                          |
| Aspiration hazard:                                            |          |       |         |                        |                                              | Negative                                                                                       |
| Symptoms:                                                     |          |       |         |                        |                                              | abdominal pain, drowsiness, diarrhoea, vomiting, headaches, mucous membrane irritation, nausea |

Page 9 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

## 11.2. Information on other hazards

### PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

| Toxicity / effect                | Endpoint | Value | Unit | Organism | Test method | Notes                                                                 |
|----------------------------------|----------|-------|------|----------|-------------|-----------------------------------------------------------------------|
| Endocrine disrupting properties: |          |       |      |          |             | Does not apply to mixtures.                                           |
| Other information:               |          |       |      |          |             | No other relevant information available on adverse effects on health. |

## SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

### PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

| Toxicity / effect                        | Endpoint | Time | Value | Unit | Organism | Test method | Notes                                                                 |
|------------------------------------------|----------|------|-------|------|----------|-------------|-----------------------------------------------------------------------|
| 12.1. Toxicity to fish:                  |          |      |       |      |          |             | n.d.a.                                                                |
| 12.1. Toxicity to daphnia:               |          |      |       |      |          |             | n.d.a.                                                                |
| 12.1. Toxicity to algae:                 |          |      |       |      |          |             | n.d.a.                                                                |
| 12.2. Persistence and degradability:     |          |      |       |      |          |             | n.d.a.                                                                |
| 12.3. Bioaccumulative potential:         |          |      |       |      |          |             | n.d.a.                                                                |
| 12.4. Mobility in soil:                  |          |      |       |      |          |             | n.d.a.                                                                |
| 12.5. Results of PBT and vPvB assessment |          |      |       |      |          |             | n.d.a.                                                                |
| 12.6. Endocrine disrupting properties:   |          |      |       |      |          |             | Does not apply to mixtures.                                           |
| 12.7. Other adverse effects:             |          |      |       |      |          |             | No information available on other adverse effects on the environment. |

### 1-phenoxypropan-2ol

| Toxicity / effect          | Endpoint | Time | Value | Unit | Organism                | Test method                                                                               | Notes |
|----------------------------|----------|------|-------|------|-------------------------|-------------------------------------------------------------------------------------------|-------|
| 12.1. Toxicity to fish:    | LC50     | 96h  | 280   | mg/l | Pimephales promelas     | OECD 203 (Fish, Acute Toxicity Test)                                                      |       |
| 12.1. Toxicity to daphnia: | EC50     | 48h  | 370   | mg/l | Daphnia magna           | OECD 202 (Daphnia sp. Acute Immobilisation Test)                                          |       |
| 12.1. Toxicity to algae:   | LC50     | 72h  | >100  | mg/l | Scenedesmus subspicatus | Regulation (EC) 440/2008 C.3 (FRESHWATER ALGAE AND CYANOBACTERIA, GROWTH INHIBITION TEST) |       |

|                                          |       |     |       |      |                  |                                                                                          |                       |
|------------------------------------------|-------|-----|-------|------|------------------|------------------------------------------------------------------------------------------|-----------------------|
| 12.2. Persistence and degradability:     |       | 28d | 72    | %    |                  | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test)                       | Readily biodegradable |
| 12.3. Bioaccumulative potential:         | BCF   |     | <100  |      |                  |                                                                                          |                       |
| 12.4. Mobility in soil:                  | Koc   |     | 19-21 |      |                  |                                                                                          | Analogous conclusion  |
| 12.5. Results of PBT and vPvB assessment |       |     |       |      |                  |                                                                                          | n.a.                  |
| Toxicity to bacteria:                    | ErC50 | 17h | >1000 | mg/l | activated sludge | Regulation (EC) 440/2008 C.11 (BIODEGRADATION - ACTIVATED SLUDGE RESPIRATION INHIBITION) |                       |

| Glycerol                                 |          |      |         |      |                    |                                                                         |                                           |
|------------------------------------------|----------|------|---------|------|--------------------|-------------------------------------------------------------------------|-------------------------------------------|
| Toxicity / effect                        | Endpoint | Time | Value   | Unit | Organism           | Test method                                                             | Notes                                     |
| 12.1. Toxicity to fish:                  | LC50     | 96h  | > 5000  | mg/l | Carassius auratus  |                                                                         |                                           |
| 12.1. Toxicity to daphnia:               | EC50     | 48h  | >10000  | mg/l | Daphnia magna      |                                                                         |                                           |
| 12.1. Toxicity to daphnia:               | EC5      | 72h  | 3200    | mg/l |                    |                                                                         | Entosiphon sulcatum                       |
| 12.1. Toxicity to algae:                 | EC50     |      | 2900    | mg/l | Chlorella vulgaris |                                                                         |                                           |
| 12.2. Persistence and degradability:     |          | 14d  | 63      | %    |                    | OECD 301 C (Ready Biodegradability - Modified MITI Test (I))            |                                           |
| 12.2. Persistence and degradability:     | BOD/COD  |      | >60     | %    |                    |                                                                         |                                           |
| 12.2. Persistence and degradability:     | DOC      |      | >70     | %    |                    |                                                                         | Readily biodegradable                     |
| 12.2. Persistence and degradability:     | BOD5     |      | 0,87    | g/g  |                    |                                                                         |                                           |
| 12.2. Persistence and degradability:     | COD      |      | 1,16    | g/g  |                    |                                                                         |                                           |
| 12.3. Bioaccumulative potential:         | Log Pow  |      | -1,75   |      |                    | OECD 107 (Partition Coefficient (n-octanol/water) - Shake Flask Method) | Bioaccumulation is unlikely (LogPow < 1). |
| 12.5. Results of PBT and vPvB assessment |          |      |         |      |                    |                                                                         | No PBT substance, No vPvB substance       |
| Toxicity to bacteria:                    | EC5      | 16h  | > 10000 | mg/l | Pseudomonas putida |                                                                         |                                           |

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### For the substance / mixture / residual amounts

EC disposal code no.:

Page 11 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

08 01 17 wastes from paint or varnish removal containing organic solvents or other hazardous substances

08 01 21 waste paint or varnish remover

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

### For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

## SECTION 14: Transport information

### General statements

#### Transport by road/by rail (ADR/RID)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable

14.4. Packing group: Not applicable

14.5. Environmental hazards: Not applicable

Tunnel restriction code: Not applicable

Classification code: Not applicable

LQ: Not applicable

Transport category: Not applicable

#### Transport by sea (IMDG-code)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable

14.4. Packing group: Not applicable

14.5. Environmental hazards: Not applicable

Marine Pollutant: Not applicable

EmS: Not applicable

#### Transport by air (IATA)

14.1. UN number or ID number: Not applicable

14.2. UN proper shipping name:

Not applicable

14.3. Transport hazard class(es): Not applicable

14.4. Packing group: Not applicable

14.5. Environmental hazards: Not applicable

#### 14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Page 12 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

National requirements/regulations on safety and health protection must be applied when using work equipment.

## 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## SECTION 16: Other information

Revised sections:

1-16

### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents.  
H319 Causes serious eye irritation.

Eye Irrit. — Eye irritation

### Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

## Any abbreviations and acronyms used in this document:

acc., acc. to according, according to

ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately

Art., Art. no. Article number

ASTM ASTM International (American Society for Testing and Materials)

ATE Acute Toxicity Estimate

BAM Bundesanstalt für Materialforschung und -prüfung (= Federal Institute for Materials Research and Testing, Germany)

BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)

BCF Bioconcentration factor

BSEF The International Bromine Council

CAS Chemical Abstracts Service

CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)

CMR carcinogenic, mutagenic, reproductive toxic

DMEL Derived Minimum Effect Level

DNEL Derived No Effect Level

DOC Dissolved organic carbon

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

Page 13 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

EINECS European Inventory of Existing Commercial Chemical Substances  
 ELINCS European List of Notified Chemical Substances  
 EN European Norms  
 EPA United States Environmental Protection Agency (United States of America)  
 ErCx, E<sub>m</sub>Cx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants)  
 etc. et cetera  
 EU European Union  
 EVAL Ethylene-vinyl alcohol copolymer  
 Fax. Fax number  
 gen. general  
 GHS Globally Harmonized System of Classification and Labelling of Chemicals  
 GWP Global warming potential  
 Koc Adsorption coefficient of organic carbon in the soil  
 Kow octanol-water partition coefficient  
 IARC International Agency for Research on Cancer  
 IATA International Air Transport Association  
 IBC (Code) International Bulk Chemical (Code)  
 IMDG-code International Maritime Code for Dangerous Goods  
 incl. including, inclusive  
 IUCLID International Uniform Chemical Information Database  
 IUPAC International Union for Pure Applied Chemistry  
 LC50 Lethal Concentration to 50 % of a test population  
 LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)  
 Log Koc Logarithm of adsorption coefficient of organic carbon in the soil  
 Log Kow, Log Pow Logarithm of octanol-water partition coefficient  
 LQ Limited Quantities  
 MARPOL International Convention for the Prevention of Marine Pollution from Ships  
 mg/kg bw mg/kg body weight  
 mg/kg bw/d, mg/kg bw/day mg/kg body weight/day  
 mg/kg dw mg/kg dry weight  
 mg/kg wwt mg/kg wet weight  
 n.a. not applicable  
 n.av. not available  
 n.c. not checked  
 n.d.a. no data available  
 NIOSH National Institute for Occupational Safety and Health (USA)  
 NLP No-longer-Polymer  
 NOEC, NOEL No Observed Effect Concentration/Level  
 OECD Organisation for Economic Co-operation and Development  
 org. organic  
 OSHA Occupational Safety and Health Administration (USA)  
 PBT Persistent, bioaccumulative and toxic  
 PE Polyethylene  
 PMT Persistent, mobile and toxic  
 PNEC Predicted No Effect Concentration  
 ppm parts per million  
 PVC Polyvinylchloride  
 REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)  
 REACH-IT List-No. 6/7/8/9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
 RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)  
 SVHC Substances of Very High Concern  
 Tel. Telephone  
 TOC Total organic carbon  
 UN RTDG United Nations Recommendations on the Transport of Dangerous Goods  
 VOC Volatile organic compounds  
 vPvB Very persistent and very bioaccumulative  
 vPvM Very persistent and very mobile

Page 14 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II (last amended by Regulation (EU) 2020/878)

Revision date / version: 01.07.2026 / 0003

Replacing version dated / version: 27.03.2018 / 0002

Valid from: 01.07.2026

PDF print date: 01.07.2026

PRINTJET CLEANER Art.-Nr. 2449710000 / Art.-Nr. 2518210000

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

**Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0**

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.