

Klippon® Relay


Product discontinuation note

RIDERSERIES RCI

RIDERSERIES RCI successor - D-SERIES DRI relay modules

The RIDERSERIES RCI relays and KITS will be discontinued and replaced by our proven D-SERIES DRI relays and KITS.

The space-saving miniature industrial relay of the D-SERIES DRI with a width of only 16 mm has robust pins for fast and safe installation.



Your special advantages:

Thanks to their many different designs, our D-SERIES industrial relay modules have a wide range of features which make them suitable for various applications.

- **1 CO and 2 CO contacts available**
1CO contacts with a maximum current of 10 A and 2CO contacts with a maximum current of 5 A.
- **Fully assembled and 100% function-tested KITS**
This saves time during assembly and reduces the number of required material numbers.



Important note: The respective accessories (relay sockets, retaining clips, LED modules, markers, etc.) of the RIDERSERIES RCI relays are not compatible with the alternatively offered products of the D-SERIES DRI. Therefore, the accessories must also be switched to the D-SERIES DRI. You can find the right accessories for the D-SERIES DRI relays in our online catalog at the respective relays.

Klippon® Relay

The current plans do not assume this, but due to unforeseeable delivery bottlenecks in raw materials, the last order date for individual article numbers from this product discontinuation notification may have to be moved forward.

1 CO Relays

Last order:
31.10.2024

Discontinued model

Type	Order No.
RCI314012	8869800000
RCI314024	8869810000
RCI314048	8869820000
RCI314110	8869830000
RCI314524	8869840000
RCI314615	8869850000
RCI314730	8869860000
RCI314012	8869950000
RCI374024	8869960000
RCI374524	8869990000
RCI374730	8870010000
RCI314AB2	8870090000
RCI314AC4	8870100000
RCI314AE8	8870110000
RCI314BB0	8870120000
RCI314R24	8870130000
RCI314S15	8870140000
RCI314T30	8870150000
RCI374AB2	8870240000
RCI374AC4	8870250000
RCI374BB0	8870270000
RCI374R24	8870280000
RCI374S15	8870290000
RCI374T30	8870300000



Similar to illustration



Similar to illustration

New version

Type	Order No.	Main difference
DRI314012	7760056296	10 A Continuous current instead of 16 A
DRI314024	7760056297	10 A Continuous current instead of 16 A
DRI314048	7760056298	10 A Continuous current instead of 16 A
DRI314110	7760056299	10 A Continuous current instead of 16 A
DRI314524	7760056300	10 A Continuous current instead of 16 A
DRI314615	7760056301	10 A Continuous current instead of 16 A
DRI314730	7760056302	10 A Continuous current instead of 16 A
DRI314012LTD	7760056314	10 A Continuous current instead of 16 A
DRI314024LTD	7760056315	10 A Continuous current instead of 16 A
DRI314524LT	7760056318	10 A Continuous current instead of 16 A
DRI314730LT	7760056320	10 A Continuous current instead of 16 A
DRI314012LD	7760056310	10 A Continuous current instead of 16 A
DRI314024LD	7760056311	10 A Continuous current instead of 16 A
DRI314048LD	7760056312	10 A Continuous current instead of 16 A
DRI314110LD	7760056313	10 A Continuous current instead of 16 A
DRI314524L	7760056307	10 A Continuous current instead of 16 A
DRI314615L	7760056308	10 A Continuous current instead of 16 A
DRI314730L	7760056309	10 A Continuous current instead of 16 A
DRI314012LTD	7760056314	10 A Continuous current instead of 16 A
DRI314024LTD	7760056315	10 A Continuous current instead of 16 A
DRI314110LTD	7760056317	10 A Continuous current instead of 16 A
DRI314524LT	7760056318	10 A Continuous current instead of 16 A
DRI314615LT	7760056319	10 A Continuous current instead of 16 A
DRI314730LT	7760056320	10 A Continuous current instead of 16 A

1CO KITS

Discontinued model

Type	Order No.
RCIKIT 24VDC 1CO LD	1118690000
RCI KITS 24V DC 1 CO	7760056384
RCIKIT 12VDC 1 C/O KIT	7940104189
RCIKIT 24VDC 1CO LD	8871000000
RCIKIT 24VAC 1CO LD	8871010000
RCIKIT 230VAC 1CO LD	8871020000
RCIKIT 24VDC 1CO LD/PB	8881580000
RCIKIT 24VAC 1CO LD/PB	8881590000
RCIKIT 230VAC 1CO LD/PB	8881600000
RCIKIT 115VAC 1CO LD/PB	8897060000
RCIKIT 115VAC 1CO LD	8897090000
RCIKITP 24VDC 1CO LD	8897110000
RCIKITP 24VAC 1CO LD	8897120000
RCIKITP 115VAC 1CO LD	8897130000
RCIKITP 230VAC 1CO LD	8897140000
RCIKITP 24VDC 1CO LD/PB	8897190000
RCIKITP 24VAC 1CO LD/PB	8897200000
RCIKITP 115VAC 1CO LD/PB	8897210000
RCIKITP 230VAC 1CO LD/PB	8897220000
RCIKIT 24VAC 1CO LD/PB	8881590000
RCIKIT 230VAC 1CO LD/PB	8881600000



Similar to illustration



Similar to illustration

New version

Type	Order No.	Main difference
DRIKITP 24VDC 1CO LD	2576220000	10 A Continuous current instead of 16 A
DRIKIT 24VDC 1CO LD	2476680000	10 A Continuous current instead of 16 A
		No alternative
DRIKIT 24VDC 1CO LD	2476680000	10 A Continuous current instead of 16 A
DRIKIT 24VAC 1CO LD	2476710000	10 A Continuous current instead of 16 A
DRIKIT 230VAC 1CO LD	2476730000	10 A Continuous current instead of 16 A
DRIKIT 24VDC 1CO LD/PB	2476750000	10 A Continuous current instead of 16 A
DRIKIT 24VAC 1CO LD/PB	2476780000	10 A Continuous current instead of 16 A
DRIKIT 230VAC 1CO LD/PB	2476800000	10 A Continuous current instead of 16 A
DRIKIT 115VAC 1CO LD/PB	2476790000	10 A Continuous current instead of 16 A
DRIKIT 115VAC 1CO LD	2476720000	10 A Continuous current instead of 16 A
DRIKITP 24VDC 1CO LD	2576220000	10 A Continuous current instead of 16 A
DRIKITP 24VAC 1CO LD	2576260000	10 A Continuous current instead of 16 A
DRIKITP 115VAC 1CO LD	2575980000	10 A Continuous current instead of 16 A
DRIKITP 230VAC 1CO LD	2576280000	10 A Continuous current instead of 16 A
DRIKITP 24VDC 1CO LD/PB	2576210000	10 A Continuous current instead of 16 A
DRIKITP 24VAC 1CO LD/PB	2576250000	10 A Continuous current instead of 16 A
DRIKITP 115VAC 1CO LD/PB	2576180000	10 A Continuous current instead of 16 A
DRIKITP 230VAC 1CO LD/PB	2576160000	10 A Continuous current instead of 16 A
DRIKIT 24VAC 1CO LD/PB	2476780000	10 A Continuous current instead of 16 A
DRIKIT 230VAC 1CO LD/PB	2476800000	10 A Continuous current instead of 16 A



Visit our website for more information
www.weidmueller.com/dseries




Visit our online catalogue for more information

2 CO Relays

Last order:
31.10.2024

Discontinued model

Type	Order No.
RCI424012	8869870000
RCI424024	8869890000
RCI424048	8869900000
RCI424110	8869910000
RCI424524	8869920000
RCI424615	8869930000
RCI424730	8869940000
RCI484012	8870020000
RCI484024	8870030000
RCI484048	8870040000
RCI484110	8870050000
RCI484524	8870060000
RCI484615	8870070000
RCI484730	8870080000
RCI424AB2	8870170000
RCI424AC4	8870180000
RCI424AE8	8870190000
RCI424BB0	8870200000
RCI424R24	8870210000
RCI424S15	8870220000
RCI424T30	8870230000
RCI484AB2	8870310000
RCI484AC4	8870320000
RCI484AE8	8870330000
RCI484BB0	8870340000
RCI484R24	8870350000
RCI484S15	8870360000
RCI484T30	8870370000



Similar to illustration



Similar to illustration


New version

Type	Order No.	Main difference
DRI424012	7760056321	5 A Continuous current instead of 8 A
DRI424024	7760056322	5 A Continuous current instead of 8 A
DRI424048	7760056323	5 A Continuous current instead of 8 A
DRI424110	7760056324	5 A Continuous current instead of 8 A
DRI424524	7760056325	5 A Continuous current instead of 8 A
DRI424615	7760056326	5 A Continuous current instead of 8 A
DRI424730	7760056327	5 A Continuous current instead of 8 A
DRI424012LTD	7760056339	5 A Continuous current instead of 8 A
DRI424024LTD	7760056340	5 A Continuous current instead of 8 A
DRI424048LTD	7760056341	5 A Continuous current instead of 8 A
DRI424110LTD	7760056342	5 A Continuous current instead of 8 A
DRI424524LT	7760056343	5 A Continuous current instead of 8 A
DRI424615LT	7760056344	5 A Continuous current instead of 8 A
DRI424730LT	7760056345	5 A Continuous current instead of 8 A
DRI424012LD	7760056335	5 A Continuous current instead of 8 A
DRI424024LD	7760056336	5 A Continuous current instead of 8 A
DRI424048LD	7760056337	5 A Continuous current instead of 8 A
DRI424110LD	7760056338	5 A Continuous current instead of 8 A
DRI424524L	7760056332	5 A Continuous current instead of 8 A
DRI424615L	7760056333	5 A Continuous current instead of 8 A
DRI424730L	7760056334	5 A Continuous current instead of 8 A
DRI424012LTD	7760056339	5 A Continuous current instead of 8 A
DRI424024LTD	7760056340	5 A Continuous current instead of 8 A
DRI424048LTD	7760056341	5 A Continuous current instead of 8 A
DRI424110LTD	7760056342	5 A Continuous current instead of 8 A
DRI424524LT	7760056343	5 A Continuous current instead of 8 A
DRI424615LT	7760056344	5 A Continuous current instead of 8 A
DRI424730LT	7760056345	5 A Continuous current instead of 8 A

2 CO KITs

Discontinued model

Typ	Best.-Nr.
RCIKITZ 24VDC 2CO LD/PB	1116720000
RCIKITZ230VAC 2CO LD/PB	1116730000
RCIKIT 24VDC 2CO LD MC	1137810000
RCIKITP 24VDC 2CO LD/PB MC	1180240000
RCIKITZ230VAC 2COL/PB MC	2028940000
RCIKIT 24VDC 2CO PB	2052450000
RCIKIT 230VAC 2CO LD/PB/RC	2052470000
RCIKIT 230VAC 2CO LD/N	2063180000
RCIKITP 12VDC 2 C/O KIT	7940104190
RCIKIT 24VDC 2CO LD	8871030000
RCIKIT 24VAC 2CO LD	8871040000
RCIKIT 230VAC 2CO LD	8871050000
RCIKIT 24VDC 2CO LD/PB	8881610000
RCIKIT 24VAC 2CO LD/PB	8881620000
RCIKIT 230VAC 2CO LD/PB	8881630000
RCIKIT 115VAC 2CO LD/PB	8897080000
RCIKIT 115VAC 2CO LD	8897100000
RCIKITP 24VDC 2CO LD	8897150000
RCIKITP 24VAC 2CO LD	8897160000
RCIKITP 115VAC 2CO LD	8897170000
RCIKITP 230VAC 2CO LD	8897180000
RCIKITP 24VDC 2CO LD/PB	8897230000
RCIKITP 24VAC 2CO LD/PB	8897240000
RCIKITP115VAC 2CO LD/PB	8897250000
RCIKITP230VAC 2CO LD/PB	8897260000
RCIKITZ 24VDC 2CO LD/PB	1116720000
RCIKITZ230VAC 2CO LD/PB	1116730000



Similar to illustration



Similar to illustration

New version

Typ	Best.-Nr.	Hauptunterschied
DRIKITP 24VDC 2CO LD/PB	2576190000	5 A Continuous current instead of 8 A
DRIKITP230VAC 2CO LD/PB	2576150000	5 A Continuous current instead of 8 A
DRIKIT 24VDC 2CO LD	2476820000	5 A Continuous current instead of 8 A
DRIKITP 24VDC 2CO LD/PB	2576190000	5 A Continuous current instead of 8 A
DRIKIT 230VAC 2CO LD/PB	2476940000	5 A Continuous current instead of 8 A
DRIKIT 24VDC 2CO LD/PB	2476890000	5 A Continuous current instead of 8 A
		No alternative
		No alternative
		No alternative
DRIKIT 24VDC 2CO LD	2476820000	5 A Continuous current instead of 8 A
DRIKIT 24VAC 2CO LD	2476850000	5 A Continuous current instead of 8 A
DRIKIT 230VAC 2CO LD	2476870000	5 A Continuous current instead of 8 A
DRIKIT 24VDC 2CO LD/PB	2476890000	5 A Continuous current instead of 8 A
DRIKIT 24VAC 2CO LD/PB	2476920000	5 A Continuous current instead of 8 A
DRIKIT 230VAC 2CO LD/PB	2476940000	5 A Continuous current instead of 8 A
DRIKIT 115VAC 2CO LD/PB	2476930000	5 A Continuous current instead of 8 A
DRIKIT 115VAC 2CO LD	2476860000	5 A Continuous current instead of 8 A
DRIKITP 24VDC 2CO LD	2576200000	5 A Continuous current instead of 8 A
DRIKITP 24VAC 2CO LD	2576240000	5 A Continuous current instead of 8 A
DRIKITP 115VAC 2CO LD	2576290000	5 A Continuous current instead of 8 A
DRIKITP 230VAC 2CO LD	2576270000	5 A Continuous current instead of 8 A
DRIKITP 24VDC 2CO LD/PB	2576190000	5 A Continuous current instead of 8 A
DRIKITP 24VAC 2CO LD/PB	2576230000	5 A Continuous current instead of 8 A
DRIKITP115VAC 2CO LD/PB	2576170000	5 A Continuous current instead of 8 A
DRIKITP230VAC 2CO LD/PB	2576150000	5 A Continuous current instead of 8 A
DRIKITP 24VDC 2CO LD/PB	2576190000	5 A Continuous current instead of 8 A
DRIKITP230VAC 2CO LD/PB	2576150000	5 A Continuous current instead of 8 A