












SHOWN: S2C-SMT 3.50/08/90G 3.2

M 1/1  
S2C-SMT 3.50/08/90G 1.5M 1/1  
S2C-SMT 3.50/08/90G 3.2M 1/1  
S2C-SMT 3.50/08/90LF 1.5

SHOWN: S2C-SMT 3.50/08/90LF 3.2

M 1/1  
S2C-SMT 3.50/08/90LF 3.2

P = 3.50 RASTER PITCH

D\* = 0.13 +0.1  
0.051"

d = 0.8x0.8  
0.031"x0.031"

\* from n (no of poles) 26  
D = 1.4mm +0.1

S2C-SMT 3.50...180LF 3.5	3.5	0.126
S2C-SMT 3.50...180LF 1.5	1.5	0.059
S2C-SMT 3.50...180G 3.5	3.2	0.126
S2C-SMT 3.50...180G 1.5	1.5	0.059
TYP	1	1
PART NAME	[mm]	[inch]

For the mounting of PCBs, it should be noted that the rated data relates only to the PCB components alone.  
The necessary creepage and clearance paths must be observed in connection with the respective applicant in accordance to IEC 664 / VDE 0110.  
The current-carrying capacity and pitch tolerance is to be determined according to DIN IEC 326 part 3 very fine.

Weidmüller PCB components are tested to the DIN EN 61984 standard, and are valid for its field of application.  
Provided that the components are used to the intended purpose, all requirements with respect to the occurring of electrical, mechanical, thermic and corrosive stress will be satisfied.

36	59.5	2.343	±0.2
34	56.0	2.205	
32	52.5	2.067	
30	49.0	1.929	
28	45.5	1.791	
26	42.0	1.654	
24	38.5	1.516	
22	35.0	1.378	
20	31.5	1.240	
18	28.0	1.102	
16	24.5	0.965	
14	21.0	0.827	
12	17.5	0.689	
10	14.0	0.551	
8	10.5	0.413	
6	7.00	0.276	
4	3.50	0.138	
n POLZAHL		L1 [mm]	L1 [inch]
n POLES		TOLERANZ	TOLERANCE

Cat.no.: 3 50160 06

Drawing no. Sheet 02 of 04 sheets

Issue no.

Weidmüller

7400

GENERAL TOLERANCE:  
DIN ISO 2768-m

Max. nos. RoHS COMPLIANT

Modification

Date Name

Drawn 15.07.2011 FRIELING\_L

Responsible AMANN\_A

Scale: 2/1 Checked 04.04.2018 HELIS\_MA

Supersedes: Approved LANG\_T

S2C-SMT 3.50/.../  
STIFTLEISTE  
MALE HEADER

Product file: B2CF/S2C

allgemeingültige Kundenzzeichnung, aktueller Stand nur auf Anfrage  
general customer drawing, topical version only if required