

Busbars SSCH

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmüller.com



General data

Reference product	0348900000 SSCH 10X3X1000 CU/SN
--------------------------	---------------------------------

Description of the product	Weidmüller bus bars are available in various materials and, together with the appropriate accessories, enable cable connections even in the smallest installation spaces. Depending on the application, potentials can be collected, distributed or dissipated.
-----------------------------------	---


Functional unit	Provision of electrical power distribution and potential equalization in low-voltage switchgear assemblies through busbars over a reference service life of 30 years.
------------------------	---

Other products covered

0438000000	8000112834	8000140199	8000112842	1397000000
8000163608	8000112844	8000143409	0357400000	2878340000
2878350000	0571300000	1071200000		

Constituent Materials

The total weight of the reference product is 266 g (including packaging material). The constituent materials are distributed as follows:



Categorisation according to the material classes of IEC 62474:

Plastics			Metals			Other		
M-202	Polypropylene (PP)	<0,1 %	M-121	Copper and its alloys	99,4 %	M-341	Paper	0,5 %
Plastics in total		0 %	Metals in total		99,4 %	Others in total		0,5 %

The products are in compliance with RoHS (EU Directive 2011/65/EU).

According to the REACH Regulation 1907/2006, the ECHA publishes on its website which substances are to be classified as so-called substances of very high concern (SVHC). As soon as an article contains SVHC above the respective threshold values for the declaration obligation according to Article 33, the affected articles and the SVHC they contain are published in the online product catalogue at each product.

The online product catalogue site of the reference product can be accessed via the link:

<https://eshop.weidmueller.com/p/0348900000>

Additional Environmental Information

Manufacture	This stage includes the manufacturing of the product and its packaging as well as the transport to the manufacturer's last logistics platform located in Hörselbach-Hainich (Germany). The final assembly site is located in Germany and has an ISO 14001 and ISO 50.001 certified environmental management system. Transport packaging, used in addition to product packaging when required for delivery, is excluded from the system boundaries.
Distribution	The shipment is made from the distribution centre to the customer by truck. The transport route to the customer was assumed to be 3500 km by lorry.
Installation	Only the disposal of the packaging is considered in this phase, as the installation is carried out manually with non-electrical tools.
Use	No maintenance or utilities are required during use.
End of Life	The end-of-life stage is modelled based on the data from Eurostat. The transport route to the disposal company was assumed to be 1000 km by lorry.

Environmental Impacts

Reference Service Lifetime	30 years			
Product category	Busbars			
Installation elements	No special installation elements required.			
Use scenario	No energy is consumed during the products reference service lifetime.			
Geographical representativeness	Europe			
Software	Sphera LCA for Experts, v10.9.1.19			
Database	Sphera MLC Databases 2025.2			
Energy model	Manufacture*	Installation	Use	End of Life
	Germany	-	-	Europe

*Energy model of the final assembly site.

The following tables represent the impact values of the reference product according to DIN EN 15804:2022-03 except for the environmental indicators of output flows and information on the biogenic carbon content of the product and the associated packaging.

Environmental impact indicators

Indicator	Unit	Total*	Manufacturing A1-A3	Distribution A4	Installation A5	Use B1-B7	End of Life C1-C4	Benefits and Loads D
Climate change - total	kg CO ₂ eq.	7,66E+00	7,56E+00	7,29E-02	4,05E-04	0,00E+00	2,69E-02	-1,05E+00
Climate change - fossil	kg CO ₂ eq.	7,17E+00	7,08E+00	7,38E-02	8,15E-05	0,00E+00	2,27E-02	-1,04E+00
Climate change - biogenic	kg CO ₂ eq.	4,82E-01	4,79E-01	-1,64E-03	3,24E-04	0,00E+00	4,01E-03	4,54E-03
Climate change - land use and land use change	kg CO ₂ eq.	7,09E-03	6,11E-03	7,60E-04	1,44E-07	0,00E+00	2,17E-04	-1,93E-02
Ozone depletion	kg CFC 11 eq.	1,86E-10	1,86E-10	1,23E-14	5,76E-17	0,00E+00	4,21E-15	-6,47E-12
Acidification	mol H ⁺ eq.	1,73E-02	1,72E-02	1,14E-04	1,23E-07	0,00E+00	3,45E-05	-1,48E-02
Eutrophication - freshwater	kg P eq.	2,57E-05	2,53E-05	1,99E-07	1,33E-09	0,00E+00	1,62E-07	-7,65E-06
Eutrophication - marine aquatic	kg N eq.	4,37E-03	4,31E-03	4,66E-05	5,57E-08	0,00E+00	1,47E-05	-1,98E-03
Eutrophication - terrestrial	mol N- eq.	4,89E-02	4,83E-02	4,94E-04	5,05E-07	0,00E+00	1,48E-04	-2,14E-02
Photochemical ozone formation	kg NMVOC	1,03E-02	1,02E-02	1,02E-04	1,71E-07	0,00E+00	3,26E-05	-5,88E-03
Resource use, mineral and metals	kg Sb eq.	5,64E-04	5,64E-04	4,91E-09	1,62E-12	0,00E+00	1,41E-09	-6,21E-04
Resource use, fossils	MJ	8,78E+01	8,65E+01	9,47E-01	3,73E-04	0,00E+00	2,73E-01	-1,28E+01
Water use	m ³	1,99E-01	1,99E-01	3,38E-04	2,68E-05	0,00E+00	2,64E-04	-8,23E-01

Additional environmental impact indicators

Indicator	Unit	Total*	Manufacturing A1-A3	Distribution A4	Installation A5	Use B1-B7	End of Life C1-C4	Benefits and Loads D
Particulate matter	Disease incidences	1,57E-07	1,56E-07	1,02E-09	9,93E-13	0,00E+00	3,08E-10	-1,29E-07
Ionising radiation, human health	kBq U235 eq.	5,00E-01	5,00E-01	2,57E-04	8,33E-07	0,00E+00	8,32E-05	-3,86E-02
Ecotoxicity, freshwater	CTUe	4,54E+01	4,38E+01	1,23E+00	3,59E-04	0,00E+00	3,55E-01	-6,89E+00
Human toxicity, cancer	CTUh	7,17E-09	7,15E-09	1,66E-11	7,07E-15	0,00E+00	4,82E-12	-1,31E-09
Human toxicity, non-cancer	CTUh	8,57E-08	8,45E-08	9,28E-10	4,77E-13	0,00E+00	2,73E-10	-4,66E-08
Land Use	-	1,43E+02	1,43E+02	4,18E-01	1,01E-04	0,00E+00	1,19E-01	-4,22E+00

Resources use indicators

Indicator	Unit	Total*	Manufacturing A1-A3	Distribution A4	Installation A5	Use B1-B7	End of Life C1-C4	Benefits and Loads D
Use of renewable primary energy	MJ	8,07E+01	8,06E+01	7,14E-02	4,70E-05	0,00E+00	2,08E-02	-4,46E+00
Total use of renewable primary energy resources	MJ	8,07E+01	8,06E+01	7,14E-02	4,70E-05	0,00E+00	2,08E-02	-4,46E+00
Use of non-renewable primary energy	MJ	8,78E+01	8,65E+01	9,47E-01	3,73E-04	0,00E+00	2,73E-01	-1,28E+01
Total use of non-renewable primary energy resources	MJ	8,78E+01	8,65E+01	9,47E-01	3,73E-04	0,00E+00	2,73E-01	-1,28E+01
Input of secondary material	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of renewable secondary fuels (RSF)	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of non-renewable secondary fuels (NRSF)	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of net fresh water	m³	8,12E-02	8,11E-02	3,53E-05	6,41E-07	0,00E+00	1,41E-05	-1,53E-02

Waste category indicators

Indicator	Unit	Total*	Manufacturing A1-A3	Distribution A4	Installation A5	Use B1-B7	End of Life C1-C4	Benefits and Loads D
Hazardous waste disposed	kg	1,68E-07	1,68E-07	3,80E-11	6,88E-14	0,00E+00	1,17E-11	-1,28E-09
Non-hazardous waste disposed	kg	9,36E-01	9,32E-01	1,32E-04	1,22E-04	0,00E+00	3,82E-03	-3,82E-02
Radioactive waste disposed	kg	3,26E-03	3,26E-03	1,79E-06	5,57E-09	0,00E+00	5,77E-07	-3,48E-04

*In accordance with the current Product Category Rules (PCR), the values presented in the 'Total' column do not include the benefits and loads beyond the system boundaries as represented in 'Module D'.

The following table represents the environmental impact indicators for products other than the reference product covered by this Environmental Product Declaration (EPD).

Product number	Life Cycle Phase	Climate change - total	Climate change - fossil	Climate change - biogenic	Climate change -land use and land use change	Ozone depletion	Acidification	Eutrophication - freshwater	Eutrophication - marine	Eutrophication - terrestrial	Photochemical ozone formation	Resource use, mineral and metals	Resource use, fossils	Water use
0438000000	Total*	6,89E+00	6,45E+00	4,33E-01	6,37E-03	1,67E-10	1,56E-02	2,31E-05	3,93E-03	4,40E-02	9,28E-03	5,07E-04	7,89E+01	1,80E-01
	Manufacturing	6,80E+00	6,36E+00	4,31E-01	5,50E-03	1,67E-10	1,54E-02	2,28E-05	3,87E-03	4,34E-02	9,16E-03	5,07E-04	7,78E+01	1,79E-01
	Distribution	6,56E-02	6,64E-02	-1,47E-03	6,84E-04	1,10E-14	1,03E-04	1,79E-07	4,19E-05	4,45E-04	9,16E-05	4,42E-09	8,51E-01	3,04E-04
	Installation	4,05E-04	8,15E-05	3,24E-04	1,44E-07	5,76E-17	1,23E-07	1,33E-09	5,57E-08	5,05E-07	1,71E-07	1,62E-12	3,73E-04	2,68E-05
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	2,42E-02	2,04E-02	3,60E-03	1,95E-04	3,79E-15	3,10E-05	1,46E-07	1,33E-05	1,33E-04	2,93E-05	1,27E-09	2,45E-01	2,38E-04
	Module D	-5,65E-01	-5,67E-01	1,61E-03	-1,15E-04	-1,02E-12	-1,27E-03	-3,23E-07	-2,82E-04	-3,04E-03	-1,07E-03	-1,38E-07	6,60E+00	1,45E-02
8000112834	Total*	8,07E-01	7,55E-01	5,06E-02	7,44E-04	1,95E-11	1,82E-03	2,70E-06	4,61E-04	5,16E-03	1,09E-03	5,93E-05	9,25E+00	2,40E-02
	Manufacturing	7,96E-01	7,45E-01	5,03E-02	6,42E-04	1,95E-11	1,81E-03	2,66E-06	4,54E-04	5,09E-03	1,08E-03	5,93E-05	9,12E+00	2,40E-02
	Distribution	7,58E-03	7,67E-03	-1,70E-04	7,91E-05	1,27E-15	1,19E-05	2,07E-08	4,84E-06	5,14E-05	1,06E-05	5,11E-10	9,84E-02	3,51E-05
	Installation	4,22E-05	8,48E-06	3,37E-05	1,50E-08	5,99E-18	1,27E-08	1,38E-10	5,79E-09	5,26E-08	1,78E-08	1,68E-13	3,88E-05	2,79E-06
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	2,80E-03	2,36E-03	4,17E-04	2,25E-05	4,38E-16	3,59E-06	1,68E-08	1,53E-06	1,54E-05	3,39E-06	1,47E-10	2,84E-02	2,75E-05
	Module D	-1,09E-01	-1,08E-01	4,77E-04	-2,01E-03	-6,74E-13	-1,54E-03	-7,96E-07	-2,06E-04	-2,22E-03	-6,12E-04	-6,45E-05	1,33E+00	-8,56E-02
8000140199	Total*	8,53E-01	7,99E-01	5,36E-02	7,87E-04	2,06E-11	1,93E-03	2,85E-06	4,87E-04	5,46E-03	1,15E-03	6,27E-05	9,78E+00	2,52E-02
	Manufacturing	8,42E-01	7,88E-01	5,33E-02	6,79E-04	2,06E-11	1,91E-03	2,81E-06	4,81E-04	5,39E-03	1,14E-03	6,27E-05	9,65E+00	2,52E-02
	Distribution	8,02E-03	8,12E-03	-1,80E-04	8,36E-05	1,35E-15	1,26E-05	2,19E-08	5,12E-06	5,44E-05	1,12E-05	5,40E-10	1,04E-01	3,72E-05
	Installation	4,46E-05	8,97E-06	3,56E-05	1,58E-08	6,34E-18	1,35E-08	1,46E-10	6,13E-09	5,56E-08	1,88E-08	1,78E-13	4,10E-05	2,95E-06
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	2,96E-03	2,50E-03	4,41E-04	2,38E-05	4,63E-16	3,79E-06	1,78E-08	1,62E-06	1,63E-05	3,59E-06	1,55E-10	3,00E-02	2,91E-05
	Module D	-1,16E-01	-1,14E-01	5,05E-04	-2,13E-03	-7,13E-13	-1,63E-03	-8,42E-07	-2,18E-04	-2,35E-03	-6,47E-04	-6,83E-05	1,41E+00	-9,05E-02
8000112842	Total*	1,55E+00	1,45E+00	9,74E-02	1,43E-03	3,75E-11	3,50E-03	5,19E-06	8,85E-04	9,90E-03	2,09E-03	1,14E-04	1,78E+01	4,30E-02
	Manufacturing	1,53E+00	1,43E+00	9,68E-02	1,23E-03	3,75E-11	3,47E-03	5,12E-06	8,72E-04	9,77E-03	2,06E-03	1,14E-04	1,75E+01	4,29E-02
	Distribution	1,46E-02	1,48E-02	-3,27E-04	1,52E-04	2,45E-15	2,29E-05	3,98E-08	9,31E-06	9,89E-05	2,04E-05	9,83E-10	1,89E-01	6,76E-05
	Installation	8,11E-05	1,63E-05	6,47E-05	2,88E-08	1,15E-17	2,45E-08	2,66E-10	1,11E-08	1,01E-07	3,42E-08	3,24E-13	7,46E-05	5,36E-06
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	5,39E-03	4,54E-03	8,01E-04	4,33E-05	8,42E-16	6,90E-06	3,24E-08	2,95E-06	2,97E-05	6,52E-06	2,82E-10	5,46E-02	5,28E-05

	Module D	-2,10E-01	-2,08E-01	9,18E-04	-3,87E-03	-1,30E-12	-2,96E-03	-1,53E-06	-3,96E-04	-4,27E-03	-1,18E-03	-1,24E-04	2,57E+00	-1,65E-01
1397000000	Total*	7,68E+00	7,19E+00	4,84E-01	7,27E-03	1,86E-10	1,74E-02	2,57E-05	4,38E-03	4,90E-02	1,03E-02	5,64E-04	8,79E+01	1,99E-01
	Manufacturing	7,58E+00	7,09E+00	4,82E-01	6,30E-03	1,86E-10	1,72E-02	2,54E-05	4,32E-03	4,84E-02	1,02E-02	5,64E-04	8,67E+01	1,99E-01
	Distribution	7,25E-02	7,34E-02	-1,63E-03	7,56E-04	1,22E-14	1,14E-04	1,98E-07	4,63E-05	4,92E-04	1,01E-04	4,89E-09	9,41E-01	3,36E-04
	Installation	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	2,69E-02	2,27E-02	4,01E-03	2,17E-04	4,21E-15	3,45E-05	1,62E-07	1,47E-05	1,48E-04	3,26E-05	1,41E-09	2,73E-01	2,64E-04
	Module D	1,05E+00	1,04E+00	2,42E-03	-1,93E-02	-6,47E-12	-1,48E-02	-7,63E-06	-1,98E-03	-2,13E-02	-5,88E-03	-6,21E-04	1,28E+01	-8,23E-01
8000163608	Total*	2,09E+00	1,96E+00	1,31E-01	1,93E-03	5,07E-11	4,73E-03	7,01E-06	1,19E-03	1,34E-02	2,82E-03	1,54E-04	2,40E+01	5,69E-02
	Manufacturing	2,06E+00	1,93E+00	1,31E-01	1,67E-03	5,07E-11	4,69E-03	6,91E-06	1,18E-03	1,32E-02	2,78E-03	1,54E-04	2,36E+01	5,67E-02
	Distribution	1,97E-02	1,99E-02	-4,42E-04	2,05E-04	3,31E-15	3,09E-05	5,38E-08	1,26E-05	1,33E-04	2,75E-05	1,33E-09	2,56E-01	9,12E-05
	Installation	1,09E-04	2,20E-05	8,74E-05	3,89E-08	1,56E-17	3,31E-08	3,59E-10	1,50E-08	1,36E-07	4,62E-08	4,37E-13	1,01E-04	7,24E-06
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	7,28E-03	6,14E-03	1,08E-03	5,85E-05	1,14E-15	9,31E-06	4,37E-08	3,98E-06	4,01E-05	8,81E-06	3,81E-10	7,37E-02	7,13E-05
	Module D	-2,84E-01	-2,80E-01	1,24E-03	-5,22E-03	-1,75E-12	-4,00E-03	-2,07E-06	-5,34E-04	-5,77E-03	-1,59E-03	-1,68E-04	3,46E+00	-2,22E-01
8000112844	Total*	2,25E+00	2,10E+00	1,41E-01	2,07E-03	5,45E-11	5,08E-03	7,53E-06	1,28E-03	1,43E-02	3,03E-03	1,65E-04	2,57E+01	6,08E-02
	Manufacturing	2,22E+00	2,07E+00	1,40E-01	1,79E-03	5,45E-11	5,04E-03	7,42E-06	1,26E-03	1,42E-02	2,99E-03	1,65E-04	2,54E+01	6,07E-02
	Distribution	2,11E-02	2,14E-02	-4,74E-04	2,21E-04	3,56E-15	3,31E-05	5,78E-08	1,35E-05	1,43E-04	2,95E-05	1,42E-09	2,75E-01	9,80E-05
	Installation	1,18E-04	2,36E-05	9,39E-05	4,18E-08	1,67E-17	3,55E-08	3,86E-10	1,61E-08	1,47E-07	4,96E-08	4,69E-13	1,08E-04	7,78E-06
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	7,81E-03	6,59E-03	1,16E-03	6,28E-05	1,22E-15	1,00E-05	4,70E-08	4,27E-06	4,30E-05	9,46E-06	4,09E-10	7,92E-02	7,66E-05
	Module D	-3,05E-01	-3,01E-01	1,33E-03	-5,61E-03	-1,88E-12	-4,29E-03	-2,22E-06	-5,74E-04	-6,19E-03	-1,71E-03	-1,80E-04	3,72E+00	-2,39E-01
8000143409	Total*	2,54E+00	2,38E+00	1,60E-01	2,35E-03	6,16E-11	5,75E-03	8,52E-06	1,45E-03	1,62E-02	3,43E-03	1,87E-04	2,91E+01	6,84E-02
	Manufacturing	2,51E+00	2,35E+00	1,59E-01	2,03E-03	6,16E-11	5,70E-03	8,40E-06	1,43E-03	1,60E-02	3,38E-03	1,87E-04	2,87E+01	6,82E-02
	Distribution	2,39E-02	2,42E-02	-5,37E-04	2,50E-04	4,02E-15	3,75E-05	6,54E-08	1,53E-05	1,62E-04	3,34E-05	1,61E-09	3,11E-01	1,11E-04
	Installation	1,48E-04	2,98E-05	1,18E-04	5,26E-08	2,10E-17	4,47E-08	4,86E-10	2,03E-08	1,84E-07	6,24E-08	5,90E-13	1,36E-04	9,79E-06
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	8,84E-03	7,46E-03	1,31E-03	7,10E-05	1,38E-15	1,13E-05	5,31E-08	4,84E-06	4,87E-05	1,07E-05	4,62E-10	8,96E-02	8,67E-05
	Module D	-2,06E-01	-2,07E-01	6,04E-04	-4,22E-05	-3,77E-13	-4,64E-04	-1,19E-07	-1,03E-04	-1,11E-03	-3,91E-04	-5,05E-08	2,41E+00	5,29E-03
0357400000	Total*	2,31E+01	2,16E+01	1,45E+00	2,13E-02	5,60E-10	5,22E-02	7,73E-05	1,31E-02	1,47E-01	3,11E-02	1,70E-03	2,64E+02	5,93E-01
	Manufacturing	2,27E+01	2,13E+01	1,44E+00	1,84E-02	5,60E-10	5,17E-02	7,62E-05	1,30E-02	1,45E-01	3,07E-02	1,70E-03	2,60E+02	5,91E-01
	Distribution	2,19E-01	2,22E-01	-4,92E-03	2,29E-03	3,69E-14	3,44E-04	5,99E-07	1,40E-04	1,49E-03	3,06E-04	1,48E-08	2,85E+00	1,02E-03
	Installation	9,29E-04	1,19E-04	8,09E-04	3,45E-07	1,24E-16	2,91E-07	2,98E-09	1,35E-07	1,20E-06	4,15E-07	3,76E-12	8,76E-04	5,90E-05
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	8,11E-02	6,84E-02	1,21E-02	6,52E-04	1,27E-14	1,04E-04	4,87E-07	4,44E-05	4,47E-04	9,81E-05	4,24E-09	8,22E-01	7,95E-04
	Module D	3,17E+00	3,12E+00	1,26E-02	-5,82E-02	-1,95E-11	-4,45E-02	-2,30E-05	-5,96E-03	-6,43E-02	-1,77E-02	-1,87E-03	3,86E+01	2,48E+00
2878340000	Total*	9,71E-01	9,98E-01	-2,82E-02	1,92E-03	1,96E-11	3,83E-03	2,21E-06	5,36E-04	5,40E-03	1,76E-03	1,07E-04	1,74E+01	1,03E-01
	Manufacturing	9,20E-01	9,53E-01	-3,36E-02	1,47E-03	1,96E-11	3,76E-03	2,04E-06	5,07E-04	5,09E-03	1,69E-03	1,07E-04	1,68E+01	1,03E-01

	Distribution	3,51E-02	3,55E-02	-7,87E-04	3,66E-04	5,90E-15	5,50E-05	9,58E-08	2,24E-05	2,38E-04	4,90E-05	2,36E-09	4,55E-01	1,63E-04
	Installation	4,92E-03	3,52E-04	4,57E-03	1,89E-06	6,24E-16	1,58E-06	1,56E-08	7,46E-07	6,54E-06	2,30E-06	2,02E-11	4,74E-03	3,03E-04
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	1,10E-02	9,26E-03	1,63E-03	8,83E-05	1,72E-15	1,41E-05	6,60E-08	6,01E-06	6,05E-05	1,33E-05	5,75E-10	1,11E-01	1,08E-04
	Module D	-5,82E-01	-6,11E-01	3,08E-02	-2,63E-03	-4,47E-09	-2,59E-03	-2,79E-06	-4,57E-04	-4,87E-03	-1,47E-03	-7,76E-05	-1,20E+01	-1,54E-01
2878350000	Total*	1,50E+00	1,54E+00	-3,40E-02	2,87E-03	3,04E-11	5,94E-03	3,29E-06	8,22E-04	8,30E-03	2,70E-03	1,65E-04	2,65E+01	1,56E-01
	Manufacturing	1,43E+00	1,47E+00	-4,11E-02	2,19E-03	3,04E-11	5,83E-03	3,03E-06	7,78E-04	7,85E-03	2,60E-03	1,65E-04	2,56E+01	1,56E-01
	Distribution	5,25E-02	5,31E-02	-1,18E-03	5,47E-04	8,83E-15	8,23E-05	1,43E-07	3,35E-05	3,56E-04	7,34E-05	3,54E-09	6,82E-01	2,43E-04
	Installation	6,22E-03	4,45E-04	5,78E-03	2,39E-06	7,88E-16	2,00E-06	1,97E-08	9,43E-07	8,27E-06	2,91E-06	2,55E-11	5,98E-03	3,83E-04
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	1,69E-02	1,43E-02	2,52E-03	1,36E-04	2,64E-15	2,16E-05	1,02E-07	9,26E-06	9,32E-05	2,05E-05	8,85E-10	1,71E-01	1,66E-04
	Module D	-8,57E-01	-8,92E-01	3,93E-02	-4,00E-03	-6,20E-09	-3,93E-03	-3,98E-06	-6,83E-04	-7,28E-03	-2,19E-03	-1,19E-04	-1,72E+01	-2,28E-01
0571300000	Total*	9,18E+00	8,59E+00	5,81E-01	8,48E-03	2,23E-10	2,08E-02	3,08E-05	5,23E-03	5,86E-02	1,24E-02	6,76E-04	1,05E+02	2,38E-01
	Manufacturing	9,06E+00	8,48E+00	5,78E-01	7,31E-03	2,23E-10	2,06E-02	3,03E-05	5,16E-03	5,78E-02	1,22E-02	6,76E-04	1,04E+02	2,37E-01
	Distribution	8,69E-02	8,80E-02	-1,95E-03	9,06E-04	1,46E-14	1,36E-04	2,37E-07	5,55E-05	5,89E-04	1,21E-04	5,86E-09	1,13E+00	4,03E-04
	Installation	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	3,23E-02	2,72E-02	4,80E-03	2,59E-04	5,05E-15	4,13E-05	1,94E-07	1,77E-05	1,78E-04	3,91E-05	1,69E-09	3,27E-01	3,17E-04
	Module D	1,26E+00	1,24E+00	2,91E-03	-2,32E-02	-7,75E-12	-1,77E-02	-9,14E-06	-2,37E-03	-2,56E-02	-7,05E-03	-7,44E-04	-1,53E+01	-9,86E-01
1071200000	Total*	2,26E+00	2,12E+00	1,43E-01	2,08E-03	5,49E-11	5,12E-03	7,58E-06	1,29E-03	1,45E-02	3,05E-03	1,67E-04	2,59E+01	6,12E-02
	Manufacturing	2,23E+00	2,09E+00	1,42E-01	1,80E-03	5,49E-11	5,07E-03	7,47E-06	1,27E-03	1,43E-02	3,01E-03	1,67E-04	2,56E+01	6,10E-02
	Distribution	2,14E-02	2,17E-02	-4,80E-04	2,23E-04	3,60E-15	3,36E-05	5,85E-08	1,37E-05	1,45E-04	2,99E-05	1,44E-09	2,78E-01	9,92E-05
	Installation	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	Use	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
	End of Life	7,96E-03	6,71E-03	1,18E-03	6,39E-05	1,24E-15	1,02E-05	4,78E-08	4,35E-06	4,38E-05	9,63E-06	4,16E-10	8,06E-02	7,80E-05
	Module D	-3,11E-01	-3,06E-01	7,16E-04	-5,71E-03	-1,91E-12	-4,37E-03	-2,25E-06	-5,84E-04	-6,30E-03	-1,74E-03	-1,83E-04	-3,78E+00	-2,43E-01

Please obtain the units from the table of the reference article.

*In accordance with the current Product Category Rules (PCR), the values presented in the 'Total' column do not include the benefits and loads beyond the system boundaries as represented in 'Module D'.

Date of issue: 13.01.2026

Validity period: 5 Years

Document in compliance with ISO 14021

« Environmental labels and declarations - Self-declared environmental claims (Type II environmental labelling) »