

TYPE EXAMINATION CERTIFICATE



Equipment or Protective System intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

Type Examination Certificate Number: **DEMKO 11 ATEX 150188X Rev. 4**

Product: **Industrial Ethernet Device, Models IE-SW-VL09-6TX-3SC and IE-SW-VL09T-6TX-3SC**

Manufacturer: **Weidmüller Interface GmbH & Co. KG**

Address: **Klingenbergstraße 16, 32758 Detmold, Germany**

This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

UL International Demko A/S certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014.

The examination and test results are recorded in confidential report no. **4788359764**

Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0:2012+A11:2013

EN 60079-15:2010

except in respect of those requirements listed at item 18 of the Schedule.

If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

This Type examination certificate relates only to the design of the specified product, and not to specific items of product subsequently manufactured.

The marking of the product shall include the following:



II 3 G

Ex nA nC IIC T4 Gc

Certification Manager
Jan-Erik Storgaard

This is to certify that the sample(s) of the Product described herein ("Certified Product") has been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the ATEX Product Certification Program Requirements. This certificate and test results obtained apply only to the product sample(s) submitted by the Manufacturer. UL did not select the sample(s) or determine whether the sample(s) provided were representative of other manufactured product. UL has not established Follow-Up Service or other surveillance of the product. The Manufacturer is solely and fully responsible for conformity of all product to all applicable Standards, specifications, requirements or Directives. The test results may not be used, in whole or in part, in any other document without UL's prior written approval.

Date of issue: 2011-04-20

Re-issued: 2018-05-07



Certification Body

UL International Demko A/S, Borupvang 5A, 2750 Ballerup, Denmark
Tel. +45 44 85 65 65, info.dk@ul.com, www.ul.com

[13]

Schedule

[14]

**TYPE EXAMINATION CERTIFICATE No.
DEMKO 11 ATEX 150188X Rev. 4**

[15]

Description of Product:

The Models IE-SW-VL09-6TX-3SC and IE-SW-VL09T-6TX-3SC are DIN rail mounted, industrial application, Unmanaged Ethernet Switches. They are intended for industrial applications, pollution degree 2 environments. They are microcomputer-based and communicate via interfaces through wire. The models are of the open type and are intended for installation into a suitable enclosure.

The optical radiation output of the product with respect to explosion protection, according to Annex II clause 1.3.1 of the Directive 2014/34/EU is not covered in this certificate.

Temperature range:

The relation between ambient temperature and the assigned temperature class is as follows:

Ambient temperature range	Temperature class
-40 ° C to +75 ° C	T4

Electrical data

Model	Construction Version	Electrical Rating	Relay Output
Models IE-SW-VL09-6TX-3SC and IE-SW-VL09T-6TX-3SC	Ver. A	12-48Vdc, Max. 1.1A, Class 2	24Vdc, 1A, Resistive
	Ver. B	12/24/48, 0.56/0.26/0.13A, Class 2 or 12-48Vdc, 0.56-0.26A, Class 2 or 12-48Vdc, 0.56A max. , Class 2 or 12Vdc, 0.56A , Class 2 or 24Vdc, 0.26A , Class 2 or 48Vdc, 0.13A, Class 2.	24Vdc, 1A, Resistive

Routine tests:

No routine tests were considered necessary.

[16]

Descriptive Documents

The scheduled drawings are listed in the report no. provided under item no. [8] on page 1 of this Type Examination Certificate.

[17]

Special Conditions of Use:

- The Ethernet Communication devices are to be mounted in a tool-accessible ATEX-Certified IP54 enclosure in accordance with EN 60079-15, and used in an area of not more than pollution degree 2 as defined by EN 60664-1.
- Provisions shall be made either in the equipment or external to the equipment to provide the transient protection device to be set at a level not exceeding 140% of the peak rated voltage.

[18]

Essential Health and Safety Requirements

The Essential Health and Safety Requirements (EHSRs) covered by the standards listed at item 9

Additional information

The trademark **Weldmüller** 

will be used as the company identifier on the marking label.